


Symbolic Logic
Prof. Chhanda Chakraborti
Department of Humanities and Social Sciences
Indian Institute of Technology, Kharagpur

Lecture - 12
Using Truth Table
Tautology
Contradiction
Contingent Propositions

Hello. We have looked into the truth tables and today we will talk about applications of this truth table to find out some interesting logical properties.

(Refer Slide Time: 00:32).



So, if you have by now mastered, how to do the truth table that would help you to understand the procedure better. What we are going to do today is look into propositions or statement forms and then classify them in a certain sort of order. These are some of the classifications that we will be doing, but before we do that I have used the word propositional form or a statement form. So earlier we have talked about propositions statements and suddenly I am bringing in the idea about a statement form or a propositional form.

So first thing is to learn that, why what is the advantage of learning the form. I will explain that, but remember in formal logic the forms are going to play a crucial role. So we will start by learning what is this statement form or a propositional form to start with.

To remind you that when we were doing the syntax we decided that there is a certain way to present the variables.

(Refer Slide Time: 01:44)

World-Class on YouTube App Download the App

TEST 1: 100%

Reminder

Proposition / Statement variables: $p, q, r, \dots$

Proposition / Statement constants: $A, B, C, \dots$

Proposition / Statement form:

- A sequence of proposition statement variables: Example: $q \rightarrow (r \wedge p)$
- Note: $q \rightarrow (r \wedge p)$ looks like an actual proposition, but actually it is a propositional form. A bare structure. The variables work like placeholders.
- Substitution instances: When variables in a propositional form are properly substituted by statement constants

Example:

- $q \rightarrow (r \wedge p)$ is propositional form
- $D \rightarrow (M \wedge N)$ is a substitution instance of it

And the constants the propositional variables or the statement variables we said are going to be the lower case letters such as p, q, r and so on. and so for and then we said the proposition of the statement constants, which stand for the actual proposition, which will pick up one specific proposition from your domain and we reserve the capitals letters A, B, C as appropriate for them. So there is a case sensitivity.

So when you are using the variables group, you are at a different plane which is more abstract than the level of the constants, because the variables have has no specific reference. I T means any propositions. If you keep that in mind then you will soon start to see what we talk about the proposition of the statement form is like a structure, a bared structure. You do we say like if you compare the human body with then there is a skeleton and there is the flesh. So when you put this flesh over the skeleton you get a whole human being, but when you have a bared structure namely, the skeleton that is what this proposition statement form is going to be looking like.

So if you say how do how do they look like, the answer is it is a sequence of proposition variables or statement variables such as for example, q horseshoe r dot p . This is a proposition form or a statement from now the point to note is that may look to you like if it is a real proposition because here we are using the real connectives, but please note

that we are using these strange symbols q , small q , small r , small p and there actually like holes. You know how people play with clay (Refer Time: 03:56) or people do die casting and so on. So, what you have is a mold. In which you pour some liquid and liquid takes that shape right. So, if you remember that, what we are talking about is a mold then this is what these molds of propositions look like. They likely little holes, where if you put the actual proposition then you understand what this sentence means, otherwise they are just proposition shaped holes place holders that is what we call. So first thing to notice though they look like actual propositions, they are not really propositions they are structures force. Which will be exemplified which will be instantiated in actual propositions that is coming up soon.


Now, formal logic and specially the contribution of Aristotle or formal logicians like Aristotle is this key understanding that the form is the important thing. The form is the bare structure the underline logical structure which gets instantiated by actual propositions. So it is not like we take actual propositions in. Somehow we eliminate the content and we get the form. That is not at all what they are saying rather what they are saying the starting point is the structure like this, which one properly substituted which when properly instantiated that is when we get actual form, actual propositions of the same form and I will show you examples.

So remember when you are going into the formal level, the first thing to note that substitutional instances - instances which substitute the variables by constants, so this is what how the process of obtaining an actual proposition is informal logic. When the variables in the propositional form or the statement form are properly substituted, this is certain way to substitute it and by the statement constant that is when you get substitution instances. Now why we are saying this you have to understand that as if the statement form is the fountain head and when you instantiated, when you try to exemplified. Then you get a bunch of many substitution instances which are your actual propositions.

So let us take a look for example, this is what we started with this is structure the q horseshoe r dot p . Now what will happen if we substitute it properly meaning look there are these variables each of them is a simple propositional variable, so each one will have to be substituted by a simple actual proposition. Now symbolically when we represented that is going to be a propositional constant for each of these variable occurrences. So if

we do that substitution instance will look like this. So for example, we have chosen arbitrary d for q m for r n for p and this is an actual proposition each of this is a constant which refers to a specific proposition in your domain and whole thing is a compound which is substitution instance of this form. Will continue to talk about this kind of form as we go, but it is very important that you see. The angle from which the formal logic sees this propositions the generation of actual propositions as and the reasons why we are talking about this also will be explained in a minute, but let us take the idea through.

(Refer Slide Time: 07:49)




Now notice that the propositional form a single propositional form as you can guess may have many substitution instances for example, the same propositional form you saw one substitution instances, but you can imagine that there can be many that exhibit the same form. This one does this one also does this one also does. So are they also substitution instances? Yes of the same form what we said that they exemplify the same propositional form and there can many more right. There can be many more depending upon what you are substituting the variable with the constant domain, if you have understood this idea then can also understand that the same form, may represent the whole class of substitution instance. A whole set of substitution instances and that is the idea that we are going to catch on too.

So one more time that what we are talking, but the bare skeleton from the underlined logical form, at the surface you may see the language, at the surface you may see a lots

of content, which are which we seem to defer, but underline the bare structure is what we called the logical form of a statement. And as I said it represents the entire class of its substitution instances. So that is something to remember by then the advantage of doing this is that practically when you take the whole discussion to the form level. Then if you do any logical assessment of the form, the underlined form, then you can make a comment about the entire class which is a result of substitution of this for. That is the game and will show you with actual examples.

But first of all different types of statement forms, so if you have understood the form in statement form then there can be two types and these are generic and specific. So the specific statement forms are what is more desirable because they capture the structure. the logical structure with greater details and sometimes that could be logically more important and informative. What do we mean by a specific statement form will try to explain that. What we mean is that the structure should be exactly replicated and one way to say that that whenever there is a distinct statement variable occurring, it as to be consistently substituted by a unique simple actual statement constant.

(Refer Slide Time: 10:05)



- Generic
- Specific
- Specific statement forms represent the logical structure better
- When for each distinct statement variable in the statement form, a unique simple statement is consistently substituted, the result is a substitution instance of a specific statement form.

Example:

- $p \cdot q$ is a statement form
- Substitution instance $A \cdot B$ represents that specific statement form well
- Substitution instance $A \cdot (B \vee C)$ does NOT represent that specific statement form well
- Substitution instance $A \cdot A$ does NOT represent that specific statement form well

So two things one whenever you find that variable is a distinct one it not the same it is a different one. You need to peak a different statement constant to substitute it. Second point is so that is a point of saying unique and if the distinct statement variable is simple you need to preserve the structure by picking up a simple constant. Second point


consistent substitution which means that it should not be random and it should not be also out of sync. So if you at one place if you have substituted small p with big or capital A. Next time it should not happen in the same form, that you the occurrence of p is now substituted by a capital B because then you are changing the meaning.

So where ever small p occurs, if you have decided to substitute it by capital A that should be done thoroughly and consistently throughout the sentence this is something to remember. So the specific statement form may be the example will tell you better see here for example, $p \cdot q$ that is a statement form. P and q if you notice are simple statement variables there is no compoundness. Here the whole sentence is a compound, but $p \cdot q$ along they are actually simple statement variable. So if you if you want to preserve that structure in your substitution instance, then say $A \cdot B$.

$A \cdot B$ could be good example of specific statement form representation. Whatever was the form said that is what you have tried to capture in this substitution instance, but $A \cdot B \cdot \bar{C}$ will not represent the specific statement form. Why not? Because you know you have replaced p with capital A, but what you have done is to replace q with a compound statement. What have you done you have changed in a way you have tampered the simple structure that you saw in the variable. Somehow has not been preserved by replacing it with a compound. So that simplicity structure needs to be retained if you are looking for specific statement form substitution.

Similarly, $A \cdot A$ is not a proper specific form substitution. Why not? Because the variety that was present in $p \cdot q$, p and q, these are discrete different statement variables, but when you replace them with the same constant in a way you are playing with the form. In a way you are distorting what this says, this says something else and this is quite different. So in a way you have changed the structure how by choosing to replace the distinct variable by the same constant and that is not the nature of specific statement form. Hope this is going through well with you, in a way when specific statement form keeps us more about the specificity of the statement structure and their desirable, for representing many things.

(Refer Slide Time: 14:38)




One of the tasks that we are going to take upon today by use of truth table is this classification. We are going to classify proposition in terms of their truth values and the truth table of course, is going to help us in doing that is the broad classifications I will show you in a second is like this.

There are propositions called tautology or truth functionally true. What is there nature will talk about that. The second grouping is contradiction or truth functionally false and third category is contingent or truth functionally indeterminate. This classification is not arbitrary, but in the terms of the truth values and this is where we will try to utilize the truth table technique to see whether the table can help us to categories unknown propositions into this kind of categories or unknown statements into this kind of categories. But the point to note is that we has been for at the formal logic level, we are going to say that the propositions or the statements have this kind of properties, this classificational properties. By virtue of the forms by virtue of what logical form they exhibit by virtue of the form that is underlined them.

So the ultimately the comment is about the form. So in a way what we will learn here is the total of these propositional forms will always yield tautologies as substitution instances. Similarly the forms the statement forms which are of this kind of nature contradictions will automatically and always yield substitution instances that are of this type and similarly for the contingent. So if the logical form is contingent no matter how

you do it the substitution instances are going to be always of this category and so on let us try that.

(Refer Slide Time: 16:59)



First our acquaintances with this classification - what are tautology or truth functionally true propositions and answer to that is like this that it is a specific statement form whose substitution instances are always true. So that is the first thing to remember. That it is a statement from whose substitution instances are always going to true, that is what we call the tautology or truth functionally true. So its falsity is logically impossible right. If you want to know what are they what which forms we are talking about, well one of the very well known form that you can probably identify with immediately is $p \vee \neg p$, not well not p .

If you understand the how the well or the $\vee$ works when you know one of them will be true and one of them when they are true it makes the whole compound that this junction true always. Now if you replace this p with any constant of your choice and if you keep the specific logical form intact, then there are no way that you are going to any substitution instance that is going to be anything, but true that is the beauty. So this form is going to generate always true substitution instances.

There are many more tautologies by the way I mean this is not only one though it may be the most well known one, but there are many for example, here there is another example $q \supset q$ and that again if you replace or substitute properly, will see that this form


is going to only yield true substitution instances. So this is what tautologies are. Next is contradiction or truth functionally false. What are they, again they are also specific statement form but it is a statement from specific statement form, whose substitution instances are always false.

So it is truth is logically impossible and so they are just the opposite of tautologies all right. So examples are many, but again we will start with the most well known example perhaps is this one for example, $q \cdot \neg q$. So in a way saying proposition and then you are also negating it and joining it together with the conjunction. This structure, this proposition form can only yields substitution instances that are going to be always false. That is what makes them contradiction are. There are other examples there are many and you will soon find many more, say $p \cdot \neg p$, that statement form again is a contradiction because it is going to yield only false substitution instances.

So here is the tautology, here is contradiction, this is always true, and this always false and then there is a third category that we call contingent or truth functionally indeterminate ones. What is the situation here? It is a statement form, specific statement form, whose substitution instances are neither always true nor always false. So they yield substitution instances which are sometimes true and sometimes false. Being always true makes you a tautology. So if you are neither always true then not a tautology and being always false make you contradiction. So being not always false makes you different from the contradiction. So it is a third category by itself and it is an important category because there is so many examples possible of this.

For example take any of your choice $p \cdot q$ for example, if you recall it is truth table you will see that it has a mixture of truth and falsity as it is value. $p \cdot q$ is true only when both p and q are true otherwise it is false. So there is a question there is a mixture of truth and falsity truth values. Same goes to for $p \vee q$ or $p \vee q$. It is true when both are true or one of them is true and it is false when both disjuncts are false. So then again there is a mixture of T and f. Same goes for your $p \cdot \neg q$ or $p \cdot q$ either way. So this is a very large category also and very important also, but it is it is good to know that we do not have just one set of truth values coming up there is there can be also mixtures, but these are the three basic categories and now comes a truth table knowledge and how we are going to use the truth table to classify propositions in. So, that they fit into this kind of categories.

(Refer Slide Time: 22:25)



So if you are testing by truth table, then it is easy to figure out even common sense is that in the case of the propositional form or the proposition is to tautology or truth functionally true, what will happen is that if you look at the final column you will not find even one F. It is going to be all throughout and without any exception true's because it is tautology. If you see in the final column then you know it is a tautology all right. Similarly the contradiction what will happen is that, if you look at the final column truth table, you will not even find a single T in that final column. It will be throughout false and only false. When that happens your truth table is telling you that what you are dealing with is a contradiction or truth functionally false propositions.

Another hand in case of contingent or truth functionally indeterminate propositions what will happen. Well as you know that it is neither always true or nor false, but what does that mean logically how many Ts how many Fs are going to be there. What you say and the answer as you probably thinking that they should be at least one T in the final column to make it to distinguish it from being a contradiction and at least one F in the final column. So, that it is distinguished from being a tautology. So that is our answer there can be many more various kind of combinations possible, but at least one T and at least one F in the final column. That is what is going to happen in the case of contingent.

(Refer Slide Time: 24:17)

Consider statement form: $p \supset (q \vee p)$
By truth-table:

p	q	$q \vee p$	$p \supset (q \vee p)$
T	T	T	T
T	F	T	T
F	T	T	T
F	F	F	T

It is a tautology as shown by the final column
Note: By finding $p \supset (q \vee p)$ a tautology, we can safely declare all its proper substitution instances tautologies:
 $K \supset (J \vee K)$
 $M \supset (B \vee M)$
 $D \supset (S \vee D)$

MOOC Centre at Hyderabad
Dr. Anand Chakraborty, IIT Hyderabad

So now comes the point where we are going to try this out all right and we are going to start out with a statement form of this kind, $p \supset (q \vee p)$, and we are going to truth table as we have learnt to do truth table on this. So what will happen is that, why do not you do it along with me, so that we all learn at the same time. Is there is going to how many rows four because there are two statement area holes.

So that we know and then the top heads of the table is going to be like this you have two reference columns, here is $q \vee p$ because we need to have a column for that and here is the column for the whole compound statements, and if you remember how to distribute the truth values and all then this how to distribute the truth values. This is how we do it and then the third column looks like this, right because this junction is false only when both the disjuncts are false or otherwise it always true and here comes the truth value of the whole sentence, the compound. All of them is going to be true. Remember the horseshoe truth table. That is false when the antecedent is true, but the consequent is false and if you now check p is here right.


So this is what we are comparing with this column which is your consequent. So T T that is T. T T that is T. This is F T. That is not the same as p antecedent being true consequent being false. What you have is false antecedent and true consequent and that is when horse shoe takes the value true and. So this is when both of them are false. That is also when the horseshoe takes the value true, but ultimately what you have gained or what

you have found out that this sentence is, what you would call always true. Which means it is a tautology or a truth functionally true proposition.

So this is what we did. If we found this is a tautology as shown in the final column, but notice that this is not an actual proposition, but this is a statement form. If you have shown that this statement form is a tautology what have you gained. Now you are in a position to say that any substitution instances that exemplify this form is also going to be a tautology. So if I give you this, give you this, if I give you this, you do not have to do separate truth tables for this anymore. This alone settles that each of this must be a tautology by virtue of their form. The form common form that exhibit is this one and we have established it is a tautology. That is what you have gain by doing logic at formal level.

So this one task we have accomplished. We just figured out that this statement form is a tautology. You may try this. These are the some of the examples that you may try right now or we come back in the next module and you can do that.

(Refer Slide Time: 27:34)



This is a simple ones take a look. So here is this, tilde triple bar A dot C wedge D. This is B dot C horseshoe B wedge C or not C. Why do not you try this and we compare the result in our next module.

So let us close this module. We have learnt a task and we will do this and we will continue with this in the next module.

Thank you very much.