Advanced Green Manufacturing Systems Prof. Deepu Philip. Dr. Amandeep Singh Oberoi Department of Industrial & Management Engineering Department of Mechanical Engineering Indian Institute of Technology, Kanpur

> Lecture - 43 Green Factory Simulation – Part 1 of 3

Good morning welcome back to the course, I am Dr. Amandeep Singh and I will take the Plant Simulation Technomatix in this lecture. So, we have discussed about the plant, we have discussed about the simulation, we have discussed about the product design and manufacturing aspects.

So, in this lecture I will just touch what is the kind of the simulation that we do in designing a plant and do how material is being carried from one point to another all those things what kind of simulation we can do there.

(Refer Slide Time: 00:53)



So, before moving ahead I will just like to give some the contents here, the contents will follow like this, first I will discuss what is PLM? PLM is; Product Lifecycle Management; product lifecycle management. Then I will just go to my soft plant simulation software which is plant simulation 10 that is technomatix ok.

Then we will just discuss this software another software Arena is similar to this one, but plant simulation or the PLM software that we have here is in IT Kanpur that we have is the Siemens PLM version. So, this is the kind of an very advanced version, Arena has a an extensive use in research and in application in industry.

But this plant simulation if we talk about the software that 2 major functions; one thing is specifically simulation for software, one thing is that functionality. The functionality what is the function that software is able to do? So, how intelligent is our software to design the systems?

Second thing is the aesthetics or appearance. In this case in the plant simulation software I will show you that the 3 dimensional movements can also be seen, the aesthetics are splendid in this case. So, we can see the workers taking the material, we can see the movement of the materials all that animation kind of thing is there. So, that is the kind of an I can say an add on, but the capability of the software to simulate using this and different distributions using even we can have energy simulator to minimize the energy used in the plant.

Or also we actually calculate the throughput or the total output that is of a day or of a month. And in during the day or during the month, what is the total cost that is incurred to cost of operating, the cost of processing, all those things can be done.



(Refer Slide Time: 03:09)

So, let me move forward. So, what is Product Lifecycle Management? Product lifecycle management is the system of strategic processes which are employed to reduce the cost of getting a product to market ok. It is a system of strategic processes I would say.

You know these days we need to extend the duration of the profitable years of the product, because the product if we talk about the product lifecycle; product lifecycle is something like this not from marketing perspective I will talk it from the development perspective. Product lifecycle is if I say this is my profit ok. So, this is I would say rupees and this is plus rupees and this is minus rupees ok.

So, it is if I divided into stages; when I am planning and I am manufacturing, then I am building the product, then I am trying to provide after sale support. So, this is not the marketing kind of product lifecycle that I am doing. Marketing kind of product lifecycle is just like this we have growth, then we have sorry first we have introduction, then we have growth, then we have decline and also some decay could happen. So, this is marketing perspective.

So, I am talking from the product development perspective, from the where it design. When you design a product we are talking of the product design and the simulation in the systems. So, when we design the product during design itself the development perspective is taken into account.

It will this kind of curve which I am going to draw, this is the curve like this it was something like this ok. Initially what happens when we are planning this is the planning stage, second is the manufacturing stage, then we have the manufacturing can be extend then we have before manufacturing I will put manufacturing at third point. Before manufacturing we have development of the complete plan or the development of the may be prototype of the product.

So, after manufacturing the product is sent to the market, then we have after sale support ok. So, what happens we need to minimize this and maximize this. You know this curve that is was 0 value that is below the 0 line this is kind of a loss ok. So, this is I can say this is here I can say the milestone this is the launch of the product ok. I can have breakeven point here because that investment that is made is covered here. So, this is breakeven. So, this is the peak profit that we have reached and the product retires here.

So, what is the lifecycle of a product? For instance you purchase a new mobile like Samsung Note 9 is there in the market. Where does Note 8 go? Where does Note 7 go? I had been using Note 2 since last year. So, where does that go? That has completely retired the new version of the product has come. So, the lifecycle of a product of one specific segment in case of this electronics or may be mobiles is about an year or may be it has even reduced contracted than an year it is about 6 months, 9 months sometimes. So, this is its final retirement of a product happens.

So, what PLM, if we use PLM; a Product Lifecycle Management software or what happens this is reduced, this is reduced and this is maximized. You know this peak is I would better say peak is attend earlier than the normal design ok.

Then product launch could happen even before breakeven is achieved before. So, this is the kind of a profit or the kind of contraction of in the time that happens using the software. Because when we are doing the simulations you know it is better to fail a simulation than to fail a factory it is a very common course that is said.

So, when we do simulation when we design the product we can do the kind of testing. So, if I am talking about the product if we do planning here the product for instance ok.

(Refer Slide Time: 08:10)



If I need to design this mouse; if I need to design this mouse I would have I need to have the specifications or I can just scan this mouse and get the point cloud and then the triangular mesh. And these are the mechanical comes should get to do some analysis that, whether the strength of the material, which kind of material would I use all those things can be done in a software.

So, in that simulations happen. So, that is a kind of a mechanical simulation. So, we can even call at we you heard of if you heard of the term computational fluid dynamics that is a kind of a mechanical simulation then certain multiple modules are available for many software's in the market. But because we are talking more about the product design and manufacturing and we have not to talking about the systems design here.

So, I will focus more on technomatics; that is the manufacturing, the development or specifically the manufacturing part ok. So, about this curve this is here we have speed to market that speed to market that it has reached the market before, then productivities boost you know the slope of this curve is higher this curve the slope is higher the slope is greater. So, there is a boost in productivity there is an increase in revenue because peak is here right.

Then we have the extended returns. The retirement period is now we get retirement at a later stage. So, this is what product lifecycle management if we actually do the product lifecycle management. Lifecycle means not only designing the product, managing the

overall or the complete life of the product from, the very idea generation when we have an idea to produce a product to the final retirement of the product. Retirement means when the product would just kind of obsolete and new product would takes its place.

So, about the software I would say we have in PLM Siemens software this is we have this 4 stages, this part is done by NX. NX is a kind of a CAD software ok. It is CAD and CAE. CAD is Computer Aided Design, CAE is Computer Aided Engineering. Computer aided design is with just design like I said I will design this mouse, this specific product I can if I need to have this specification this specific curves I need to draw and I can design that is computer aided design.

Then I can do certain analysis certain testing on this ok. Which are the critical parts and what will be the life of this plastic portion, I am not talking about the internal body I am just talking about the cover of the mouse here ok. That is computer aided engineering. So, this is NX software to use. We would more focus on the development and manufacturing that is done using technomatix ok. Now, this is again technomatix ok. This will use the plant simulation 10 software.

When we have designed the product and we know what are the processes which is this product has to follow. For instance this is the product they have different components; if I dismantle it, this cover, this roller, the base, the there are certain nuts and this is cover at the bottom. The cell is here cell is an external component.

So, I have different components which are to be manufactured. So, for this I need to have plastic manufacturing machines like may be molding machines or extrusion injection mould, injection molding can happen all those things. Extrusion is not required other like we need to have the machines. Now how to setup those machines in a plant or in a factory that is known as plant layout, that I will also discuss here. So, this is technomatix and the final support that is done by team center ok. So, this software's major three versions; number 1 is NX, number 2 is technomatix and number 3 is team center ok.

This complete version we can call it as an ERP an Enterprise Resource Planning ok. So, this enterprises resource planning team center is more focused on ERP, but yes we can say that enterprise complete enterprise resource planning can happen and we can even simulate, that simulation happens more in NX and technomatix. And in team center what happens whatever we have manufactured the cost which have incurred for manufacturing

and if we need to change something because you know this is planning. And the planning and the actual production there is a difference, when that difference happens during actual manufacturing, when we actually doing the manufacturing the data is all stored in our different formats ok.

Those are used by the team center version of the software; the data is stored in different formats. So, that can be used those formats which are available in team center. And team center we can just modify the data according to the actual which is happening do not just schedule the actual manufacturing.

So, those then the simulation can be run again sometimes like to see whether what we have planned or we achieving that are not. So, what is the variation? So, you know some variation would always be there and those things which has an extensive application. Arena is a kind of a software which was just confined to the plant simulation. Plant simulation only, but this PLM, Siemens PLM I am talking about Siemens PLM software. So, this can work in all these domains.

(Refer Slide Time: 14:15)

Plant Layout

So, next I will let to discuss the Plant Layout a brief introduction to this before we actually move to our software. Plant layout what is plant layout? Plant layout planning is the most effective physical arrangement either in the existing or in the plans of an individual may be it. So it is a kind of a study of an, it is an engineering study to analyze whether physical configurations of an induction plant are good or not.

So, it is the most appropriate physical arrangement in a factory or a plant or a facility. You know it is important plant layout if even we do not plan it, to minimize the movement to minimize the time that is incurred we have some layout. For instance in a classroom the layout is like the teacher is teaching the chairs are kept here and in manufacturing you have different kinds of layout that I will discuss, process product. Plant layout I would just put the benefits or the use of the plant layout or we why do we need plant layout because they are design changes ok. Why do we need to plan? So, because the new tool, new processes may be added then expansion is there, if expansion of the enterprises has to happen.

This has to happen ok. Then the variation in size of department for instance, the size of department some specifically the R and D department. Departments vary specifically R and D like company or the factory would like to expand its R and D in the future when new products are coming.

So, when the expansion happens the future plans has to be made before hand that if expansion happen ok, this wall can be taken down and this room can be converted the room can be expanded and the layout can be just a changed a little to have the proper setup for the future as well. So, another point I can put here some new department is to be added or new plant is to be setup new plant or department if this needs to be added. So, for the in these cases the plant layout study is required.

Factors those influence I will just put the factors, influencing plant layout. Factors those influence plant layout what are the factors; the kind of or the nature of the processes which you are working on are we going to do a mass production, are we going to do a just a batch production or a just a job kind of production.

So, is it a fixed position production for instance if I trying to produce a aero planes or ships big products ok. Those are the layout is such that the product is kept at a centre and different jobs are done by different workers or different machines at the product or on the product I would say.

For mass production one specific set up of machine is done then the product has to just flow through this line ok. So, this is known as the product layout because one product is being manufactured for a long period this is product layout. Then process layout, what factors do influence before actually discuss the layouts what factors influence number 1 I can say is processing time ok.

Plant Layout

(Refer Slide Time: 18:31)

Before taking this I will just like to just list the kind of the layouts that we have the first kind of layout that I will like to talk here is the process layout ok. This is also known as functional layout. What happens in process layout? In process layout one kind of process is put in one section in a factory or in a plant. For instance the layout in the hospitals all the laboratories are kept in one section and all the OPD thing is kept in one section ok. Then operation theatre or the surgery room is in one section we have all the equipment all the specialist in that the people not the specialist doctor the specialist helpers who are there though those can work there.

So, the process layout is in manufacturing if I say if we talk about if you know about the machines there are; turning machines, drilling machines, grinding machines. If all the grinding machines are kept in one section, and all the milling machines are kept in one section this is known as process layout.

Where is this process layout used? If we need to do mass production, you know for instance the first process is milling, then it has to go to drilling, then it has to go to grinding and inspection finally, let me say ok. So, it has to pass through milling, then drilling, then grinding, let me say after grinding some milling has to happen again. It has to again comeback then it will go to the inspection and then go out.

If a few products are to be manufactured that is a kind of a job production or kind of a not job if it is a kind of a batch production. We can think of having process layout because only let me say a few pieces are to be manufactured the machines are kept on a in a space.

But in mass production in actual manufacturing for instance any product that we have is generally manufactured in masses. For instance 10000 pieces are to be manufactured. So, this kind of movement from one machine to other then again coming back, then again going to the other machine, this is not recommended.

In that case what we do we use a product layout. In product layout what happens, a flow line is made it is also known as line layout, we will put it a flow line. Flow line that is the line through which our product would flow. For instance milling, drilling, grinding. Milling and inspection, another milling is put here; milling, drilling, grinding, milling, inspection done.

Again milling, drilling, grinding, milling, inspection done; if flow line is made and the product would follow this flow line ok; so, it can be one line we can have various kind of it is I will discuss about this cellular layout and that can I can say I will just put the names of the layout first; it is fixed position. Fixed position layout ok, then we have combination layout, then we can have cellular layout and certain miscellaneous layouts can also be discussed. But these are major layouts it that I will try to demonstrate in using my software.

So, what is a product layout when I talk about the product layout the line can be just this in one direction, this is the line or the line can be something like this, if the product flows through like go here and comeback here ok. I will show you the examples that I have set that I have made in my technomatic software.

So, it can be S kind of ok. S is S kind of the direction or the layout is used when the direction that is let me say input and this is output, when these are in the same direction. If the input and output that or the entry or the exit of the materials you know the one side of the factory only we can use W kind of layout. So, this is input, this is output ok.

So, we can have a sometimes the buildings are constructed in a like this way sometimes a E kind of layout is also there ok. For instance this is one product line and product is

being manufactured here. So, I have machines here, at some points I have machines here like I will pick another color for machines. So, these are the machines or the processes which are happening ok. These are the machines, green color is my machines.

If and if not machines I can just call the some processing units processing units I am talking about a factory that is why I am using more mechanical terms like machines, but these are we can just call them processing units, these are processing units or I can call a single process ok. So, fixed position layout I have discussed process and product is discussed fixed position is a little introduction is given. Combination layout is the combination of the product and process ok.

When the product in factory we have a kind of a process layout, but we know that one of the products is manufactured in a big number, so we can induce a product layout separately. So, what we have for instance this is a section in which we have all the milling machines, this section we have all the drilling machines, we have all the grinding machines, but we know that after grinding, milling operation was to happen as I discussed a one of the processes.

So, we can what just do we can just pick 1 milling machine from here. And put it here, 1 or 1 or 2 or 3 milling a few milling machines can be put here ok. So, that the product does not have to the material flow is minimized ok. So, that would be then milling, drilling, grinding, milling, inspection ok. This is a kind of a combination of the process and product layout. Combination can be anything, combination can be a product in a process layout or a process in a product layout those things could happen.

Then cellular layout is when we have these kinds of small cells, when we small cells like this U S W E small small cells are there and cellular manufacturing is also there also we have a computer integrated manufacturing. When one specific cell is controlled by one computer for instance I have been working in hero cycles and there we have a kind of a cellular layout for most the manufacturing.

So, what is there for manufacturing there of actually we have these special purpose machines because it is all mass production. So, I will take another example celluloid is when we have the specific of a instance that automobile has to be manufactured; if big car has to be manufactured ok. So, for car manufacturing engine components are separate, then car body separate, car interiors are separate, then fixing of the components that happens in a conveyor that is a separate thing.

So, engine components where those are manufactured that can be like picked just 1 or 2 engine parts. Let me think about the amplifying system and a few valves ok. Those can be manufactured in a 1 cell it can told by 1 computer. So, this is computer integrated manufacturing another cell can manufacture another set can manufacture some other component another set can manufacture another component this is a kind of a cellular layout then.

Now, I will move to the software which is a Siemens PLM software which is in the SSOL lab, SSOOL is Smart Systems and Operations Lab which is there in IME Department; Industrial and Management Engineering Department at IIT Kanpur.

So, the software is installed in the systems in the lab we have survey in the lab only we cannot have the software on this, but I am using that software using remote access on this computer. So, I will just open. So, the remote access connection is already made.

(Refer Slide Time: 27:01)



So, this is my computer which is there in the lab and I will open my software.

(Refer Slide Time: 27:05)



I will go to all programs and I have technomatix here. And in technomatix, I have plant simulation and I will open the software ok.

(Refer Slide Time: 27:18)



So, this kind of window appears when we just open the software, these are the certain programs, which I have just worked on. So, the recent programs are there. So, this is the start page ok. So, I can open or I can create a new model from here.

(Refer Slide Time: 27:39)



So, I have a menu bar here, in menu bar also I can open the new file, I can open the existing file, that we have. So, in also we have another this tab here we have these icons for opening. So, I will just create a new model when I click to new model the new model is trying to open yes ok.

(Refer Slide Time: 27:57)

camples.spp 1: Mesogr Class Likewy PTEL.spp Defic Other's Likewy Defic Other's Likewy Defic Other's Likewy Defic Other Defic Other's Likewy			
#TELspp Bett Otletts Lawren Devic Connects Devic Cartodytoution.spp Meeters/Intelle Meeters/Intelle Connects Connects Connects Conne Connects <th>namples.spp</th> <th>12 Manage Class Library</th> <th>9</th>	namples.spp	12 Manage Class Library	9
iattSim10 (Dp. manager, separate with through(L), pp Imatestall fee iartbodyProduction.spp Connector imail Parts Production.spp Feer imail Parts Production.spp Social imail Status Production.spp Social imail Status Production.spp Social imail Status Production.spp Social imail Parts Production.spp Social imail Status Production.spp Social imail Parts Production.spp Social Parts imail Parts Production PolyAcoPicce imail Parts Production Parts Social imail Parts Production PolyAcoPicce imail Parts Production Parts Imail Parts imail Parts Production Parts Imail Parts imail Parts Production Parts Imail Parts imail Parts Parts Imail Parts imail Parts Parts Imail Parts imail Parts	PTEL.spp	Basic Objects Libraries	
CarbodyProduction.spp Snall Parts Production.spp FactSim (dxtaal date, viorism's spp FactSim (dxtaal d	actSim10 (Exp. manager, separate nes throughput).spp	MaterialFlow	â
Intelace Intelace actSim (actual dist., virohem) sepp actom (actual dist., virohem) sepp actual dist., v	arbodyProduction.spp	VerilController	1
FactSim (Arbail dati, Workers) app FactSim (Arbail dati, Workers) app FactSim (Op-manalys) Patal@Poc Anaroldy DimardeSution For New Model FactSim (Arbail dati, Workers) FactSim (Arbail datin) FactSim (Arbail dati,	imail Parts Production.spp	Interface Source	
Cardine (Say Hearager) Press/phd/sop Trate New Model Trate New Model	actSim (Actual dist., Workers).spp	2 Dram	
Zeate New Model Zeate New New New New New New New New New Ne	actSim (Expmanager; hroughput).spp-	SingleProc ParaleProc	
Zreate New Model		C Asserge	
Always share this datag when you open a new model	reate New Model	2 PohoPice 20 San 20 Pockato 20 Pockato 20 San 20 San 20 San	
ACCESS TO DAMA TO DAMA		Always show this dubg when you open a new i	odel

Now, it has basic objects here. The basic objects which are there this would be enough to discuss in this lecture we have a limited scope and time here.

(Refer Slide Time: 28:08)

complex.spp 1: Manage Class Likewy MPTEL.spp Fact Otherts' Likewes MPTEL.spp Fact Otherts' Likewes Opport Checkbox Carbodymoduction.spp Fact Otherts' Likewes Smail Parts Production.spp Fact Otherts' Likewes Faction: (durantism) Checkbox Parts Carbodymoduction.spp Faction: (durantism) Fares Parts Fares MUs Cray Cray Contace Models Galaropolitocation GAlaropolitocation GAlaropolitocation Catheory Contace Catheory	examples.spp VPTE.spp VPTE.spp Carbodymodution.spp FactSen (dcaudidatu, Workers) spp FactSen (dcaudidatu) GcAdatu datu (dcaudidatu) GcAdatu (dcaudidatu) GcAdat	9
MPTELspp Bett Othetti Lazare Dent Checkbar Checkbar Checkbar	NPTEL.spp Beit Cörct/s Libraris Oher Oher Cartbolyfrod/.spp Itel Sectors Small Farbolyfrod/.spp Itel Sectors Small Farbolyfrod/.spp Itel Sectors Small Farbolyfrod/.spp Itel Sectors Small Farbolyfrod/.spp Itel Sectors Farbine (Actual date, Workers) spp- Farblen (Actual date, Workers) spp- Farblen (Actual date, Workers) spp- Farblen (Sectors) Itel Sectors Scatter New Model Itel Sectors Scatter New Model Itel Sectors Scatter New Model Itel Sectors	_
Vir Ec.app Operat Pactisma (dots, manager, separate mei throophyck).spp Devide Small Fartis Production.spp Extent Small Fartis Production.spp Extent Fartism (Action.spp) Male Statismic (dot, workers).spp Male Statismic (dot, workers).spp Male Statismic (dot, manager, hexatoly) GAlexatol Statismic (dot, manager, hexatol) GAlexatol Galexatol Galexatol) Galexatol)	Ver EL.Sp0 Oter PackSmit (Con, manager, separate ines throophyd).spp Devicine Small Parks Production.spp Image Service Small Parks Production.spp Image Service FactSmit (Actual date, Workers).spp Image Service TactSmit (Actual date, Workers).spp Image Service TextSmit (Actual date, Workers).spp Image Service	
PackSini D(pp, manager, separate melthox/pack) spp Decklos DegConcut DegConcut DegConcut Multi Early Early Early Early Early Formet Model GADystope GADystope	Partsini (Opp. manager, separate michrosphord).spp Image: Separate michrosphord.spp Carbodymoduction.spp Image: Separate michrosphord.spp Small Parts Production.spp Image: Separate michrosphord.spp FactSim (Actual dott, Workers).spp Image: Separate michrosphord.spp FactSim (Actual dott, Workers).spp Models Proventiged/spp Image: Separate michrosphord.spp Image: Separate michrosphord.spp Image: Separate michrosphord.spp	
CarbodyModuction.spp Snall Parts Production.spp FactSime (datas) - doublers of the set o	Carbodyfroduction.spp Small Parts Production.spp FactSim (Actual date, Versions).spp FactSim (Actual	*
Snall Parts Production.spp FactSim (Actual date, 'Workers) spp FactSim (Actual date, 'Workers) spp FactSim (Opt-manajor) Final Model FactSim (Opt-manajor) Final F	Small Parts Production.spp FactSim (Actual dist, Workers).app FactSim (Actual dist, Workers).app FactSim (Opt-manager, Ferender State) FactSim (Opt-manager, Ferender Stat	
FactSim (Adtual-data)-Workers)app FactSim (Adtual-data)-Workers)app Models FactSim (Op-manajor) FactSim (Op-manajor) FactSim (Op-manajor) FactSim (Op-manajor) Galagedecation Galagedecation Galagedecation Galagedecation Galagedecation Galagedecation Galagedecation Galagedecation Galagedecation Galagedecation Galagedecation Galagedecation Galagedecation Galagedecation Galagedecation Galagedecation Galagedecation Galagedecation Galagedecation Galagedecation Galagedecation Galagedecation Galagedecation Galagedecation Galagedecation Galagedecation Galagedecation Galagedecation Galagedecation Galagedecation Galagedecation Galagedecation Galagedecation Galagedecation Galagedecation Galagedecation Galagedecation Galagedecation Galagedecation Galagedecation Galagedecation Galagedecation Galagedecation Galagedecation Galagedecation Galagedecation Galagedecation Galagedecation Galagedecation Galagedecation Galagedecation Galagedecation Galagedecation Galagedecation Galagedecation Galagedecation Galagedecation Galagedecation Galagedecation Galagedecation Galagedecation Galagedecation Galagedecation Galagedecation Galagedecation Galagedecation Galagedecation Galagedecation Galagedecation Galagedecation Galagedecation Galagedecation Galagedecation Galagedecation Galagedecation Galagedecation Galagedecation Galagedecation Galagedecation Galagedecation Galagedecation Galagedecation Galagedecation Galagedecation Galagedecation Galagedecation Galagedecation Galagedecation Galagedecation Galagedecation Galagedecation Galagedecation Galagedecation Galagedecation Galagedecation Galagedecation Galagedecation Galagedecation Galagedecation Galagedecation Galagedecation Galagedecation Galagedecation Galagedecation Galagedecation Galagedecation Galagedecation Galagedecation Galagedecation Galagedecation Galagedecation Galagedecation Galagedecation Galagedecation Galagedecation Galagedecation Galagedecation Galagede	FactSen (Achail dati, Workers) spp- FactSen (Achail dati, Workers) spp- ExtSen (Opt-manajer) Frame EA Frame EA Frame EA EA GAQrimitation GASeaton GAR-spake.com GAR-spake.com	
	Carditine (Opp,-manager, Procepted)upp	
Create New Model GASection GASection GASection GASection Application GASection Application GASection Comparison Com	Create New Model GAlamication G	
Zreate New Model	Create New Model GASeadon Control Cont	
All-sey almost Add and a setum the dadig when you capes a new model Apply to New Models OX Cancel Apply	GASequence CP GASequence GASequenceson	
Charles de la constance d	GASelAboston	
Abways show the deby when you span a new model Apply to new Hodels OK Cancel Apply		1
Always show this delay when you span a new model Asala to have Models OX Cancel Apply		
Always show the Galog when you span a new model Apple to new Model CK Cancel Apple		
Abways show this debig when you span a new model Apple to New Models OK Cancel Apple		
Anneys show this dalog when you open a new model Apply to New Models CK Cancel Apply		
Anneys show this debig when you open a new model Adopt to New Models OK Cancel Adopt		
Apply to New Models CK Cancel Apply	Always show this dialog when you open a new model	
	Apply to New Models OK Cancel A	Acoly

So, basic object whatever it has selected I will just say yes to them; however, there are multiple models that we can select here as we can select certain.

(Refer Slide Time: 28:17)

examples.spp	St Manage Class Library	-9 -
	Basic Objects Lbraries	
NPTELspp	Library Ve	tion
FactSim10 (Exp. manager, separate ines throughput).spp	Tools Zollseveck Analyzer 10 Sankey Diagram 10	00
Small Parts Production.spp	Expensional Manager 10 Woard R Genetic Algorithms 10 Neural Nationals	0.0 E
FactSim (Actual dist., Workers).sop-	Layout Optimizer	
FactSim (Cxp-manager; Throughput).opp-	Z Transfer Station 10 Variants Generator Worker Chait	0.0
Create New Model	HTH, Ward Searnis Sangier Saturis Toti Cossiding Ca Standed Uhavies Free	-
	Always show this datag when you open a new mod Apply to new Models OK (d Cancel Apply

(Refer Slide Time: 28:19)

examples.spp AFTEL.spp FactSm10 (Dpt, manager, separate fines throughput).app Cartoshythoduction.spp Smail Parts Production.spp FactSm Anamadem, workers).spp FactSm Anamadem, more spp FactSm FactSm Anamadem, more spp FactSm FactSm FactSm Anamadem, more spp FactSm FactSm FactSm Anamadem, more spp FactSm FactSm FactS			
NPTEL.spp Iter cliquits Units Rest:Chipping Units Version Small Parts Production.spp Version Version Small Parts Production.spp Standard Libraries Production sping Small Parts Production.spp Standard Libraries Production sping Standard Libraries Production sping Production sping Standard Libraries Production sping Production sping Disconsider Call Occons Robots Production sping Discons Robots Occons Robots Production sping Other Discons Robots Production Sping Discons Robots Other Production Sping	examples.spp	At Manage Class Library	-9-
Mr 10.390 Version	10770	Basic Objects Ubravies	
FactSimil (Dip, markger, separate mithroughput).spp • Snall Parts Production.spp • Snall Parts Production.spp • FactSimil (Acthaal date, workarre).spp • FactSime (Acthaal date, workarre).spp • Zeatoel Role • Zeatoe New Model •	NerteLspp	Library Version	
CarbodyProduction.spp	FactSim10 (Exp. manager, separate nes throughput).spp	Variants Generator Worker Chart	*
Small Parts Production.spp Spaal Parts Production.spp Factime (Actual date, workers) spp Factime (Actual date, workers) spp Core skipt Ca Standed Lib arises Free Gotom Robust Correly Ca Correly Ca	CarbodyProduction.spp	Wizard for the Ganit Diagram HTML, Wizard	
Cardian data, vitrainer), spp FactSime (Cap: manager; PactSime (Cap: manager; PactSime; PactSime (Cap: manager; PactSime (Cap: manager; PactS	Small Parts Production.spp	Sequential Sampler	
Creation - Cogno-managery Press Press A0/5 Create New Model Crea	FactSim (Actual dist., Workers).spp	Cross-siding Car	1
Create New Model Create New Model Comparison Comparis	FactSim-(Gip-manager; Twoughput).spp- -	Standard Libraries Free AGVS AGVS	_
Alwars show the datag when you open a new model	Create New Model	30 Connan Robots Conveyors Conv	
Apply to New Models OK Cancel Apply		Z Always show this dialog when you open a new model	
		Apply to New Models OK Cance	Acoly

So, there is big library and I can select the 3D or this is you know this is AGV; Automated Guided Vehicles. And 3 dimensional conveyors, 3 dimensional robots conveyors all those things, but I will stick to the basic selection whatever it is default selection apply. So, the model is opened.

(Refer Slide Time: 28:34)

Con .	E Models Frame
mector	Edd. Navigate: Chierts Jonns View Tanks Hein
entController	
24	
No.	
	and the second

So, this is the model frame this is work space, where I will work and there is a grid the distance between any 2 points here the horizontal or vertical distance is 1 meter, I can

just switch off and on the grid from this icon this button here ok. It hides or shows the grid.

So, these places I will show later. So, this is my class library I am just clicking it to bring my icons here ok. So, these are the components, before actually starting the model I will have to show you, what is the I would say the potential of the software. So, I have one example here.

(Refer Slide Time: 29:21)



This is the car body manufacturing in three dimensional, car body manufacturing ok. So, this is an example in which whole factory is build in the software and also the general motors had built one of its new plants, using this software and they have reported that 50 percent of the savings were there in the developing part. Because they developed, they tried to simulate the say movement of the objects and the times and all those things and what actually they were trying to do in manufacturing they were able to see that in the software the animation.

(Refer Slide Time: 30:09)



So, this is my remote controller. So, I like to show you how the manufacturing happens. You know this is you can see this is actually moving very fast that control the speed, you know workers are moving in very fast this will be the fastest speed. So, I can control the speed using event controller let me stop it and let me save the real time into maybe 5 times or may be real time into 10 times apply then play. You know the car is coming here, it is then taken by the over hung conveyor ok. So, the workers are standing here.

(Refer Slide Time: 31:15)



You can see workers are doing they are trying to fix maybe tyres or the no tyres the wheels here or the side mirror. So, the car is completely manufactured or the accessories are just put on the cars and those are then sent. So, these are different workers those are working in different stations this is the workplace I will just show the objects when I will come to the actual practice on the software.

This is the workplace work pool where the workers could stand when they are not working and this is the workplace for the worker ok. And worker just picking its from some point its purple pillars that you can see these are this purple pillar and this purple pillar. So, these are the workstations where the worker actually this space this space at the bottom this is the work place where the workers working and some other processing is also happening.

So, cars are just this is my entry point. This is my entry point; this is my entry point and here it is taking the turn and this is my exit point. So, this is the factory ok. I can show you some other examples.

(Refer Slide Time: 32:26)



So, this is the 2 dimensional version of that, putting the workers are working here you can see. So the car is going out and for some other parts may be inspection it is going. So, I will just close this model and I will come to my start page again view from view come to start page. So, this is how we can see or I can just pick let me open this model ok.

(Refer Slide Time: 33:06)



This one of the models which we have used the experiment controller ok. So, you can see if I run the model it has run for 8 hours when the fastest position it has run for because I had put the end time for 8 hours model has to run and I can see the throughput here.

(Refer Slide Time: 33:30)



Open it is the drain complete of the final drain of the, I can see the throughput here. What is the throughput or what is the total number of components that was manufactured this

is throughput per day, if you see here this is throughput per day 534 pieces and throughput per hour is 22.25 pieces.

Based upon the input that we have given to the specific processes what are the input to the processes that I will discuss it is the setup time processing time then the availability, is it available for the complete time or is it available for 95 percent or 90 percent of times, then we have the distribution we have the specific process. For instance it is a manual process and we do not have much data we have only 2 3 data points which are previously available. So, we can pick maybe triangular distribution if it is an automated process, I can pick normal distribution with a very less variation because the process is automated.

Based upon the inputs that we give the software will try to simulate and give us a throughput ok. So, any software when we say the software is here there is a very common quote that is said it is GIGO; Garbage In, Garbage Out. Software's can just help us to bring our overall ideas into one place and we can simulate the computation that we sometimes try to do on page those can be done here and these the software's are able to show the animations in a very elegant way.

But if the input is not proper, input has to come from the systems manager from the person who is trying to work on it. So, if the input is not proper output would; obviously, be effected the more errors would come ok. So, this is I just showed you how to see the throughput. So, let me close this one as well and try to make a model for you. You people and I will let you know how the model is made. So, I will have to stop here and thank you for being in the course. So, we will meet next time.

Thank you.