


## Stochastic Processes - 1

### Generalized Stochastic Petri Net

by

Dr. S Dharmaraja  
Department of Mathematics, IIT Delhi

(Refer Slide Time 00:05)



The slide is titled "Generalized Stochastic Petri Nets" in blue text. It contains three bullet points in black text. At the bottom left of the slide is the IIT Delhi logo, which consists of a stylized 'IITD' in a circle with the text 'IIT DELHI' below it. At the bottom right of the slide, there are small navigation icons.

- ▶ In GSPN, transitions are allowed to be either timed or immediate.
- ▶ Transitions with zero firing times (drawn as thin black bars) are called immediate transitions. Immediate transitions have higher priority over timed transitions.
- ▶ If several immediate transitions compete for firing, firing probabilities should be specified to resolve these conflicts.

Now we are moving into Generalized Stochastic Petri Nets. In other words, it's called GSPN. In GSPN, transitions are allowed to be either timed or immediate. If you recall in the Petri Nets, the transitions are immediate whereas in the stochastic Petri net the transitions are timed and we assume that each time the transition is exponential distribution whereas in GSPN, the transitions are allowed to be either timed or immediate. That means you have the combination of few transitions could be timed, few transitions could be immediate also.

Transitions with zero firing time, that is nothing but the immediate transitions (drawn as thin black bars) are called immediate transitions. Immediate transitions have higher priority over timed transitions. If several immediate transitions compete for firing, firing probabilities should be specified to resolve these conflicts.

(Refer Slide Time 01:40)

### Example 5

- ▶ Consider  $M/M/1/5$  queueing system.
- ▶ Arrival follows Poisson process with rate  $\lambda$ .
- ▶ Service time is exponentially distributed with rate  $\mu$ .
- ▶ One server serving one job at a time.
- ▶ Not more than five jobs permitted in the whole system.




Now let us consider an example for the GSPN. Consider  $M/M/1/5$  queueing system. Here arrival follows a Poisson process with the rate  $\lambda$ . Service time is exponential distribution with the rate  $\mu$ ; one server serving one job at a time; not more than five jobs permitted in the whole system.

So let us draw the stochastic, let us draw the GSPN for the  $M/M/1/5$  queueing system.  $M/M/1/5$ . We can use the stochastic Petri net which we have drawn for  $M/M/1$  queueing system. From that we can develop the  $M/M/1/5$  queueing system. That is the easy one. That is the advantage with the stochastic Petri net GSPN and so on. From one model, you can always add some more features to get the another model.


(Refer Slide Time 03:04)

Example 5.  $M/M/1/5$




So here we have a restriction with not more than five jobs permitted in the whole system. So we can go for the M/M/1 queueing system first. Then we can add, we can include the feature of finite capacity. So this is M/M/1 queueing system.

(Refer Slide Time 03:33)



Now I have to make a restriction maximum 5 tokens in the place  $P_{system}$ . So what I can do, I can draw two arcs. Whenever six tokens in the place  $P_{system}$ , all six tokens will be removed at the same time. Immediately, five tokens will be deposited to the place  $P_{system}$ . That means the latest token, when it comes whenever the system size is five, the sixth token comes, then all six tokens will be removed and in turn five tokens will be deposited. Therefore, one token is removed. So this transition is called loss.

(Refer Slide Time 04:41)




So whenever I write small  $t$ , that means that is the immediate transition. Whenever we write capital  $T$ , that means it is a timed transition. So this timed transition with the empty rectangle bar, that means it is exponential distribution. Sometimes we can write, we can draw the rectangle bar with the shaded one. That is called the timed transition with the constant time. So here this is the GSPN of  $M/M/1/5$  queueing system with the one place and two timed transitions and one immediate transition.

If you see the reachability graph for this GSPN, the possible number of tokens in the places, we have only one places, therefore, the number of tokens in the places will be 0, 1, 2, 3, 4 and 5. The markings can be possible with the transition firing with the rate  $\lambda$ , with the rate  $\lambda$  and so on whereas 5 to 4, 4 to 3, 3 to 2, 2 to 1, 1 to 0, the transition firing with the rate  $\mu$ .

So this is the reachability graph for the G -- the above GSPN, and this is same as the continuous-time Markov chain of  $M/M/1/5$  queueing system.

(Refer Slide Time 06:31)



Suppose your interest is to find out what is the steady-state probability that the system is empty? That means what is the probability that the system is empty, that is  $\pi_0$  in steady state? That is same as what is the probability that -- what is the steady-state probability that the place  $P_{\text{system}}$  has no tokens? Both are one and the same. In the CTMC, what is the probability that the system is in the state 0 in steady state? That is same as what is the probability that in steady state, the place  $P_{\text{system}}$  has no tokens?

Therefore, whatever the measures you wanted for the system instead of making a continuous-time Markov chain, you can make a stochastic Petri net or GSPN and get the measures in the Petri net level instead of the state in the Markov chain whenever you are able to get the underlying reachability graph is isomorphic to the continuous-time Markov chain.

(Refer Slide Time 08:00)

## Stochastic Reward Nets

- ▶ A marking  $\mathcal{M}(t)$  in an SPN is called vanishing if at least one immediate transition is enabled at time  $t$ .
- ▶ A marking which is not vanishing is called a tangible marking.
- ▶ Let  $\hat{\mathcal{M}}(t)$  be the set of all possible markings at time  $t$ . A guard function  $g_T(t)$  associated with transition  $T$ , is a Boolean function defined over  $\hat{\mathcal{M}}(t)$  (i.e.,  $g_T(t) : \hat{\mathcal{M}}(t) \rightarrow \{0, 1\}$ ), such that the transition  $T$  does not fire if  $g_T(t) = 0$  (even if enabled and not inhibited), and fires if it is enabled, not inhibited and  $g_T(t) = 1$ .
- ▶ A reward is a non-negative weight associated with each marking.



Now we are moving into the another extension of Petri Net. We started with the Petri Net. Then we discussed stochastic Petri Net. Then we have discussed generalized stochastic Petri Net. Now we are going to discuss Stochastic Reward Nets.

A marking  $M(t)$  in a Stochastic Petri Net is called vanishing if at least one immediate transition is enabled at time  $t$ . A marking which is not vanishing is called tangible markings. Let  $\bar{M}(t)$  be the set of all possible markings at time  $t$ . A guard function  $g(t)$  associated with the transition  $T$  is a Boolean function defined over  $\bar{M}(t)$  such that the transition  $T$  does not fire if the  $g_T(t)$  is equal to 0. That means even if it enabled and not inhibited, and it fires, if it is enabled and not inhibited, and  $g(t)$  is equal to 1.

A reward is a non-negative weight associated with each markings. So we are first defining what is the reward and what is a guard function. Along with the reward and the guard function, we are going to define the Stochastic Reward Nets.

(Refer Slide Time 09:39)

## Stochastic Reward Nets ...

- ▶ A stochastic reward net (SRN) is an extension of an GSPN that allows extensive marking dependency and expresses complex enabling or disabling conditions for transitions (a) through guard functions, or (b) by assigning one or more reward rate(s) to each tangible marking.
- ▶ For a given SPN or SRN, an extended reachability graph (ERG) is a directed graph with the markings of the reachability set as the nodes and a directed edge from node  $M_1(t)$  to  $M_2(t)$  if  $M_2(t+T)$  can be obtained from  $M_1(t)$  by firing of a single transition.
- ▶ To each edge in the ERG, some stochastic information is attached.



A stochastic reward net is an extension of generalized stochastic Petri Net that allows extensive marking dependency and expresses complex enabling or disabling conditions for transitions through guard functions, or by assigning one or more reward rates to each tangible marking. That means you should know what is tangible marking and you should know what is guard function and also you should know what is reward rates. By using these three concepts, the extension of GSPN will be called stochastic reward nets or in other words, it is SRN.

For a given SPN or SRN, an extended reachability graph is a directed graph with the marking of the reachability set as the nodes and a directed edge from node  $M_1(t)$  to  $M_2(t)$  if  $M_2(t+T)$  can be obtained from  $M_1(t)$  by firing a single transition capital T.

To each edge in an extended reachability graph, some stochastic information is attached.

(Refer Slide Time 11:06)

## Stochastic Reward Nets ...

- ▶ The stochastic information could be the multiplicative inverse of the mean firing time of the transition, or could be the probability of firing of the transition.
- ▶ If the expected number of transitions that fire in finite time is finite, then it can be shown that a given ERG can be reduced to a homogeneous CTMC.
- ▶ To get the throughput, delay or any other performance measure, appropriate reward rates are assigned to the markings of the SRN.
- ▶ As SRN is automatically transformed into a Markov reward model (MRM), and the required measures of the SRN can be obtained by either a steady state analysis or a transient analysis of the underlying MRM.



The stochastic information could be the multiplicative inverse of the mean firing time of the transition or could be the probability of firing of the transition.

If the expected number of transitions that fires in a finite time is finite, then it can be shown that a given extended reachability graph can be reduced to a homogeneous continuous-time Markov chain. Not all the extended reachability graph will be reduced into the homogeneous Markov chain. Whenever the condition of expected number of transitions that fire in a finite time is finite, then only the extended reachability graph can be reduced to the homogeneous continuous-time Markov chain.

To get the throughput, delay or any other performance measures of the system, which you are considering, appropriate rewards rates are assigned to the markings of the SRN. You know the meaning of marking. So when you assign reward rates to the marking, then you can find out the measures of your interest.


As SRN is automatically transformed into the Markov reward model and the required measures of the SRN can be obtained by either a steady-state analysis or transient analysis of the underlying Markov reward model.

So by assigning proper reward rates, you can study the Markov chain with the rewards called the Markov model, Markov reward model. The same way here the stochastic Petri Net along with the assigning reward rates, you can call it as a stochastic reward nets.

Let's see the simple example of a stochastic reward net. Consider the Example 6 with the two places  $P_{on}$  and  $P_{off}$  and the two transitions, one is called a  $T_{failure}$  and the other transition is called  $T_{repair}$ . This transition is an input arc and this is the output arc. Similarly, this is the input arc and this is the output arc.


(Refer Slide Time 13:57)





Assume that  $T_{\text{failure}}$  is exponential distribution with the parameter  $\lambda$ . The  $T_{\text{repair}}$ , that is also exponential distributed with the parameter  $\mu$ . We assume that we have two components. We have two components in the system. Each component failure is exponential distribution with the rate  $\lambda$ . Therefore, there is another symbol called asterisk. If the two tokens in the place  $P_{\text{on}}$ , then the rate will be  $2\lambda$ . If one token in the place  $P_{\text{on}}$ , then the rate will be  $\lambda$ . For that we have used the asterisk. That means the actual rate of this transition will be  $\lambda$  times number of tokens in the input place corresponding to the input arc.


(Refer Slide Time 15:08)



So here if two tokens in the place  $P_{\text{on}}$ , then the transition  $T_{\text{failure}}$  has a rate  $2\lambda$ . Otherwise, it is  $\lambda$ . Therefore, the reachability graph will be  $(2, 0)$ ,  $(1, 1)$ ,  $(0, 2)$  and the corresponding


transitions are  $2\lambda, \lambda, (0, 2)$  to  $(1, 1)$  that is  $\mu, (1, 1)$  to  $(2, 0)$  that is  $\mu$ . So this is same as the time-homogeneous continuous-time Markov chain.

(Refer Slide Time 15:59)



Suppose my interest is to find out the availability. Whenever two tokens in the place  $P_{on}$  or one token in the place  $P_{on}$ , that means the system is available. So by assigning the reward rate  $r_i$  is equal to 1 for the number of tokens in the place  $P_{on}$ , if it is greater than or equal to 1, that is 1 or if it is 0, number of tokens in the place  $P_{on}$ , that is equal to 0, that reward rate is 0, then the availability is nothing but summation  $r_i \pi_i(t)$  where  $i$  is nothing but the marking. So  $i$  is nothing but this is the marking. Suppose you treat this as a marking 2 and you treat this as a marking 2 and this is as a marking 3, therefore, here  $i$  is running from 1 to the.

(Refer Slide Time 16:58)



So by assigning a proper reward rates  $r_i$ 's, you can get the availability.

(Refer Slide Time 17:10)

### Further Extensions

- ▶ (GSPN) GSPN with general time firing transitions Markov Regenerative SPN (MRSPN).
- ▶ Fluid Stochastic Petri Net (FSPN)
- ▶ Coloured Petri Nets

The further extensions of the stochastic Petri nets are Markov Regenerative Stochastic Petri Net, Fluid Stochastic Petri Nets and Coloured Petri Nets. These are all the references.

(Refer Slide Time 17:28)



(Refer Slide Time 17:30)



(Refer Slide Time 17:36)

**Produced by  
Educational Technology  
Services Centre  
IIT Delhi**