Introduction to Econometrics Professor. Sabuj Kumar Mandal Department of Humanities and Social Sciences Indian Institute of Technology, Madras Qualitative Response Models- Linear Probability Model, Logit and Probit Models Part - 5

Welcome once again to our discussion of qualitative response model. And yesterday we were discussing about the estimation part. We are using the statistical software to estimate the Logit model and Linear Probability model that we are discussing. And what is the model we were estimating we are basically estimating the model or where the dependent variable is married woman's labor force participation.

Whether a particular married woman will participate in the labor force or not that is basically a function of several factors, but we are considering only four factors. Number of kids below 6 years of age, then husband's wage, education of the married woman and then experience.

(Refer Slide Time: 1:20)

So, basically your dependent variable was in labor force Inlf, which is equal to alpha plus beta 1 education plus beta 2 experience plus beta 3 number of kids less than 6 years of age plus beta 4 which is husband's wage plus the error term, this was the model we were discussing. I will once again estimate the model.

(Refer Slide Time: 02:17)

File Edit Data Graphics Statistics L		
	10-0 T4x	Variables T
K Filter commands here		K Filter variables here
	JC / / / / 16.0 Copyright 1985-2019 StataCorp LLC	Name Label
 use "E\Prof. Sabu]U Woolridge\MR ssc install margeff 	Statistics/Data Analysis StataCorp 4905 Lakeway Drive	inif =1 if in lab frce, 1975 hours hours worked, 1975
2 ssc install margeff	Special Edition College Station, Texas 77845 USA	hours hours worked, 1975 kidsht6 # kids < 6 years
	800-STATA-PC http://www.stata.com	kidsge6 # kids 6-18
	979-696-4600 stata@stata.com 979-696-4601 (fax)	age woman's age in yrs
		educ years of schooling
	Single-user Stata perpetual license:	wage est. wage from earn,
	Senial number: 401606223548 Licensed to: NPTEL	repwage rep. wage at interview
	NPTEL	hushes hours worked by hus
	Notes:	± hijage husband's age
	Notes: 1. Unicode is supported; see help unicode_advice.	husband's wars of o
	Maximum number of variables is set to 5000; see help set_maxvar.	Properties
	The Real Back States of the Land of the La	
	. use "E:\Prof. Sabuj\J Woolridge\MR0Z.DTA"	4 Variables
	. ssc install margeff	Name husage
	checking margeff consistency and verifying not already installed	Label hakband's age
	installing into C:\Users\User\ado\plus\ installation complete.	Type byte Format %50g
		Value label
	•	Notes
		4 Data Forme default
		Filename MROZDTA
2 01		Label
3 12	Command	Notes Variables 22
	logit inlf educ kidslt6 husage	Observations 253
		Gan 36.839
2 - StoraySE 160 - El/Pert, Sabaj U Woohid		- 8
2 Staruff Kið-Elfref Sahují Mitokia Tie fat Dar Gayles Sansa I	User Window Help	- 5
File Edit Data Graphics Statistics U	ber Wedee Hep 1 0 • 0 7 8 x	- di
File Edit Data Graphics Statistics U	loe Window Help 1 0 • 0	
Frie Edit Data Graphics Statistics L ■ ● ■ ● - □ □ History □ □ V Frite commands here	ber Wedee Hep 1 0 • 0 7 8 x	▲ Variables ▼
Ne Edt Data Graphics Statistics L Image: Statistic of the statistics Image: Statistics Image: Statistics Image: Statistics Image: Statistics Image: Statistic of the statistics Image: Statistics Image: Statistics Image: Statistics Image: Statistics Image: Statistics Image: Statistics Image: Statistics Image: Statistics Image: Statistics Image: Statistics Image: Statistics Image: Statistics Image: Statistics Image: Statistics Image: Statistics Image: Statistics Image: Statistics Image: Statistics Image: Statistics Image: Statistics Image: Statistics Image: Statistics Image: Statistics Image: Statistics Image: Statistics Image: Statistics Image: Statistics Image: Statistics Image: Statistics Image: Statistics Image: Statistics Image: Statistics Image: Statistics Image: Statistics Image: Statistics Image: Statistics Image: Statistics Image: Statistics Image: Statistics Image: Statistics Image: Statistics Image: Statistics Image: Statistics Image: Statistics Image: Statistics Image: Statistics Image: Statistics Image: Statistics Image: Statistics <	Or Photor Hop O - O Image: Second State	 ★ Variables ▼ Filtervatables here
File Edit Data Graphics Statistics L IF IF IF IF IF IF V Filler commands here V Command	<pre>bit Notw Hep 0 · 0 7 * X</pre>	 Netables ▼ Fiter values here Name Label
Ife lat base Graphics Satisfies L IF IF IF IF IF IF IF <	Or Photor Hop O - O Image: Second State	▲ Metables ▼ Filter vanzisis here Name Label alf = 1 if in kib fore, 1975
TeL Ide Data Graphics Section L H de D ++ ul - III - III - III - III Hotory Command 1 une "E-Inot Subul WeblidgeMR. 2 sociatal margeff	<pre>bit Notw Hep 0 · 0 7 * X</pre>	A Middle Verified and a set of the
TeL Ide Data Graphics Section L H de D ++ ul - III - III - III - III Hotory Command 1 une "E-Inot Subul WeblidgeMR. 2 sociatal margeff	Dor Winder Hep Dor O Image: The set "Et/Prof. Sabuji MublingevMDL.DTA" Image: The set install margeff Decking margeff combinety and verifying not already installed Image: The Set install margeff Image: The Set install margeff Image: The Set install margeff Image: The Set installed margeff	▲ stability → Norman State
TeL Ide Data Graphics Section L H de D ++ ul - III - III - III - III Hotory Command 1 une "E-Inot Subul WeblidgeMR. 2 sociatal margeff	Dot Findor Hepping O • • V x x V x x Image: Sec install arrgeff	Andolo ▼ The statistic tree If are lubel If are lubel If an lubel If
TeL Ide Data Graphics Section L H de D ++ ul - III - III - III - III Hotory Command 1 une "E-Inot Subul WeblidgeMR. 2 sociatal margeff	<pre>box Nutur Nup</pre>	Andela Your soution tree Warre Used inf −1 file table for; 593 hour hour nodes(1975 liddb ≠ filds ←10 spi source(1495 edge source(1495 edge
TeL Ide Data Graphics Section L H de D ++ ul - III - III - III - III Hotory Command 1 une "E-Inot Subul WeblidgeMR. 2 sociatal margeff	Dor Music Hep Dor O Image: The sec install margeff Desc install margeff Descing margeff committee; and verifying not already installed Image: Image install margeff Image: Image installing into Closer/UserWorkship Image: Image installing into Closer/UserWorkship Image: Image installed Image: Image: Image installed Image: Image: Image installed Image: Image: Image installed Image: Image: Image installed	Anticle Y Form strates tree Idant If are located 1 of in lib fore, 1979 Isours hours nodes 1075 Isobis # lib of isobis Isobig # lib of isobis Isobis # lib of isobis Isobis # lib of isobis Isobis # lib of isobis upped prevention upped prevention
The fait bias Graphics Setting L If the Data Graphics Setting L If the Data Setting L If the Commandian Setting L If the Commandian Setting L If the Set Setting L If the Commandian Setting L If the Setting L If the Setting L	<pre>box Nutur Nup</pre>	▲ Middle ▼ Filter statistics here Iffere Label Iffere Label Iffere Label Iffere Label Iffere Hare India -1 filt his hore, 1975 Icddis Filds < 6 years
The fait that Graphics Satistics I In H & B + Li - Li	<pre>box Nutur Nup</pre>	▲ Subdole 2 V Marce canada two Norms works 10% Sec. 35/5 Horns hours works 10% Sec. 35/5 Holds # Kids 4: 6 years Holdgof # Kids 6: 4 years Holdgof # Kids 6: 4 years wage conversion years of shorberg wage on some sole hours hubben hours works 10 year hubben hours works 10 years
Re Edit Data Couples Southing Couples Couples <thcouples< th=""> <thcouples< t<="" td=""><td>Dor Note: Nep Doro Doro Image: Sec install argeff Image: Sec install argefff Image: Sec install argefff<td>Instable Y Form statutes trave I If are in bab tree, 1975 Id after in the tree, 1975 In the state of the tree, 1975 Id after in the tree, 1975 Id after in the tree, 1975 Id after in the tree, 1975 Id after in the tree, 1975 Id after in the tree, 1975 Id after in the tree, 1975 Id after in the tree, 1975 Id after in the tree, 1976 Id after in the tree, 1976 integration of the tree, 1976 Integration of the tree, 1976 manage Integration of the tree, 1976 hundres Integration of the tree, 1976</td></td></thcouples<></thcouples<>	Dor Note: Nep Doro Doro Image: Sec install argeff Image: Sec install argefff Image: Sec install argefff <td>Instable Y Form statutes trave I If are in bab tree, 1975 Id after in the tree, 1975 In the state of the tree, 1975 Id after in the tree, 1975 Id after in the tree, 1975 Id after in the tree, 1975 Id after in the tree, 1975 Id after in the tree, 1975 Id after in the tree, 1975 Id after in the tree, 1975 Id after in the tree, 1976 Id after in the tree, 1976 integration of the tree, 1976 Integration of the tree, 1976 manage Integration of the tree, 1976 hundres Integration of the tree, 1976</td>	Instable Y Form statutes trave I If are in bab tree, 1975 Id after in the tree, 1975 In the state of the tree, 1975 Id after in the tree, 1975 Id after in the tree, 1975 Id after in the tree, 1975 Id after in the tree, 1975 Id after in the tree, 1975 Id after in the tree, 1975 Id after in the tree, 1975 Id after in the tree, 1976 Id after in the tree, 1976 integration of the tree, 1976 Integration of the tree, 1976 manage Integration of the tree, 1976 hundres Integration of the tree, 1976
Ne Edit Data Couples Southing L N H	<pre>box Nutur Nup</pre>	▲ Subdole 2 V Marce canada two Norms works 10% Sec. 35/5 Horns hours works 10% Sec. 35/5 Holds # Kids 4: 6 years Holdgof # Kids 6: 4 years Holdgof # Kids 6: 4 years wage conversion years of shorberg wage on some sole hours hubben hours works 10 year hubben hours works 10 years
Ne Edit Data Couples Southing L N H	Dor Note: Nep Doro Doro Image: Sec install argeff Image: Sec install argefff Image: Sec install argefff <td>Installance Y Norm constant terre Infance Name (Label) init -1 d m ink bree, 19/3 hours hours worked 19/55 Kidth # Kidth (-6 years Hidtigg6 # Kidth (-6 years Hours of the stand of th</td>	Installance Y Norm constant terre Infance Name (Label) init -1 d m ink bree, 19/3 hours hours worked 19/55 Kidth # Kidth (-6 years Hidtigg6 # Kidth (-6 years Hours of the stand of th
The fait that Graphics Satistics I In H & B + Li - Li	Dor Note: Nep Doro Doro Image: Sec install argeff Image: Sec install argefff Image: Sec install argefff <td>Andole ▼ Non-statistic tree Intere Label Intere Label =1.6% Into Dres, 1975 Interes Label =1.6% Into Dres, 1975 Interes Label #1.6% Into Dres, 1975 Interes Label House Into Dres, 1975 Interes Label Label Interes Label Label Interes Label Label Interes Label Label Interes Label Label</td>	Andole ▼ Non-statistic tree Intere Label Intere Label =1.6% Into Dres, 1975 Interes Label =1.6% Into Dres, 1975 Interes Label #1.6% Into Dres, 1975 Interes Label House Into Dres, 1975 Interes Label Label
The fait that Graphics Satistics I In H & B + Li - Li	Der Minder Hep Der State Image: State	Noticic Y Not constant term Name (Label init) Name (Label init) Name Name rocket 1975 National of the state of the state of the state initianity Name rocket 1976 National of the state of the state of the state initianity Name rocket 1976 National of the state of the state of the state initianity Name rocket 1976 National of the state of the state of the state initianity Name rocket 1976 National of the state of the state of the state initianity Name rocket 1976 National of the state
file file Graphics Satisfies L in H	Dor Minister Hep Doro	Anticle Y Non-sources two Inter- Lakel Non-sources two Inter- Lakel Non-sources two Non-sources two Non-sources two
The fait bias Graphics Setting L If the Data Graphics Setting L If the Data Setting L If the Commandian Setting L If the Commandian Setting L If the Set Setting L If the Commandian Setting L If the Setting L If the Setting L	<pre>box Home Hep box Sector Hep box set TelyPerf. Sabely's HoolridgeVMDC.070* set TelyPerf. Sabely's HoolridgeVMDC.070* set Installar argeff decking margineff consistency and verifying not already installed installar into C:User/WSPLWDVpLub installar into C:User/WSPLWDVpLub into C:User/WSPLWDVpLub into C:User/WSPLWDV</pre>	Install Year Undel Name Undel Inter Name Undel Inter Name Name Inter Name Inter Name Name Name InterName Name Name Name
The fait bias Graphics Setting L If the Data Graphics Setting L If the Data Setting L If the Commandian Setting L If the Commandian Setting L If the Set Setting L If the Commandian Setting L If the Setting L If the Setting L	Dor Minister Hep Doro	Noticity Y Percentation tree Harve Used Initial -1 dim lab bree, 1979 hours hours worked 1975 Habits #Market -1 dim lab bree, 1979 hours hours worked 1975 Habits #Market -1 dim lab bree, 1979 hours hours worked 1976
The fait bias Graphics Setting L If the Data Graphics Setting L If the Data Setting L If the Commandian Setting L If the Commandian Setting L If the Set Setting L If the Commandian Setting L If the Setting L If the Setting L	<pre>box Home Hep box Sector Hep box set TelyPerf. Sabely's HoolridgeVMDC.070* set TelyPerf. Sabely's HoolridgeVMDC.070* set Installar argeff decking margineff consistency and verifying not already installed installar into C:User/WSPLWDVpLub installar into C:User/WSPLWDVpLub into C:User/WSPLWDVpLub into C:User/WSPLWDV</pre>	Andole ▼ Name Lakel Name Lakel Inter Mathematics Inter
The fait bias Graphics Setting L If the Data Graphics Setting L If the Data Setting L If the Commandian Setting L If the Commandian Setting L If the Set Setting L If the Commandian Setting L If the Setting L If the Setting L	<pre>box Home Hep box Sector Hep box set TelyPerf. Sabely's HoolridgeVMDC.070* set TelyPerf. Sabely's HoolridgeVMDC.070* set Installar argeff decking margineff consistency and verifying not already installed installar into C:User/WSPLWDVpLub installar into C:User/WSPLWDVpLub into C:User/WSPLWDVpLub into C:User/WSPLWDV</pre>	Noticity Part cancels there Norm cancels there Norm content there Norm Norm
The fait bias Graphics Setting L If the Data Graphics Setting L If the Data Setting L If the Commandian Setting L If the Commandian Setting L If the Set Setting L If the Commandian Setting L If the Setting L If the Setting L	<pre>box Home Hep box Sector Hep box set TelyPerf. Sabely's HoolridgeVMDC.070* set TelyPerf. Sabely's HoolridgeVMDC.070* set Installar argeff decking margineff consistency and verifying not already installed installar into C:User/WSPLWDVpLub installar into C:User/WSPLWDVpLub into C:User/WSPLWDVpLub into C:User/WSPLWDV</pre>	Anticle Y If are unable tree If are location tree If are location tree If are location tree Incars hours nodes 1055 Idd off are location of the lo
TeL Ide Data Graphics Section L TEL Hotory Command 1 une "E-Inot Sabaju WeblidgeMR 2 sociatal margeff	<pre>Note Name Name Note Name Name Note Name Name Name Note Name Name</pre>	Noticity T Importantion term Importantion term Important and term Important and
TeL Ide Data Graphics Section L TEL Hotory Command 1 une "E-Inot Sabaju WeblidgeMR 2 sociatal margeff	<pre>box Home Hep box Sector Hep box set TelyPerf. Sabely's HoolridgeVMDC.070* set TelyPerf. Sabely's HoolridgeVMDC.070* set Installar argeff decking margineff consistency and verifying not already installed installar into C:User/WSPLWDVpLub installar into C:User/WSPLWDVpLub into C:User/WSPLWDVpLub into C:User/WSPLWDV</pre>	Anticle Y If are unable tree If are location tree If are location tree If are location tree Incars hours nodes 1055 Idd off are location of the lo
TeL Ide Data Graphics Section L TEL Hotory Command 1 une "E-Inot Sabaju WeblidgeMR 2 sociatal margeff	<pre>Note Name Name Note Name Name Note Name Name Name Note Name Name</pre>	Annotation Y Non-section too: Non-section too:
TeL Ide Data Graphics Section L TEL Hotory Command 1 une "E-Inot Sabaju WeblidgeMR 2 sociatal margeff	<pre>Note Name Name Note Name Name Note Name Name Name Note Name Name</pre>	Incide Y Image Image Image <t< td=""></t<>
TeL Ide Data Graphics Section L TEL Hotory Command 1 une "E-Inot Sabaju WeblidgeMR 2 sociatal margeff	<pre>Note Name Name Note Name Name Note Name Name Name Note Name Name</pre>	Annotation Y Non-section too: Non-section too:

1		Iteration 3:	log likelihood = -467.18392		^	Variables	
	 Filter commands here 	Logistic regression Number of obs = 753				K Filter variables h	ere
	Command _rc	Logistic regre	33.704		15.38	Name	Label
1	use "E\/Prof. Sabuj\J Woolridge\MR	1			.0000	inlf	=1 if in lab frce, 1
2	ssc install margeff	Log likelihood	= -467.18392	Pseudo R2 = 0	.0926	hours	hours worked, 19
3	logit inlf educ kidslt6 husage					kidslt6	# kicls < 6 years
4	mfx	inlf	Coef, Std. Err, z	P> z [95% Conf. Inter	vall	kidsge6	# kids 6-18
						305	woman's age in y
		educ	.199203 .0369704 5.39		16638	educ	years of schoolin
		kids1t6	-1.424212 .1922137 -7.41 0541611 .0113268 -4.78	0.000 -1.800944 -1.0 0.000076361203	4748	wage	est wage from e
		husage _cons	0541611 .0115268 -4.78 .6304281 .7098112 0.89		19611	repwage	rep. wage at inter
			TOTOLET TROUBLE THE			hushes	hours worked by
						husage	husband's age
		. mfx				husedur	huthand's wars
		Marginal effec				< Properties	
			inlf) (predict) 7337947			A <>	
						< Variables	
		variable	dy/dx Std. Err. z P>	z [95% C.I.]	x	Name	harage
						Label	husband's age
					.2869	Туре	byte
					.1208	Format. Value label	1150g
						Notes	
						4 Data	
						Frame	default
		•				Frame 0 Filename	default MROZ DTA
		•				Frame 0 Filename Label	
	10	• Command				Frame 0 Filename	

So, let us see how we can estimate this. So, logit and then all your dependent variables- in labor force, Inlf then instead of typing the variables name here, you can directly click here also, Stata will take then you have to put education, if you double click on the variables name, then the variable will automatically appear here.

Education and then kidslt6 and then husband's wage and if you put enter then this is the model that you have estimated, which shows that this is the result. That means from this output we can say whether there is positive or negative relationship between a particular variable let us say education and the labor force participation which shows for example, education variable which is a 0.19 and it is highly significant also, which indicates that as education increases probability of labor force participation also increases.

But we cannot take these values as a marginal effect because our dependent variable is basically log of Pi by 1 minus pi. So, that means, you can say for a unit change in education log odds ratio changes by 0.19. And then we say that you have to specifically put a command to estimate the marginal effect. And what is the marginal effect command? The command is very simple mfx command, which is if you put enter then you will get the marginal effect.


So now, you can say that for unit change in education, your labor force participation changes by 0.04 unit. Now, we need to discuss little more on this marginal effect. First of all, when I am saying that for a unit change in education, your probability of labor force participation of a married woman changes by 0.04 unit that means, whenever you want to measure a change, the

change has to be made based on some reference point. If you do not know the reference then the change concept does not make any sense.

So, what is the reference point? That means, you need to calculate a base probability based on which all these changes are actually calculated. And the base probability is calculated using the y value or Stata is showing, this is actually your yi hat that means, you can say this is your Pi hat equals 0.57.

Now, what is this probability? As you know that for any econometric model beta coefficient is always interpreted as a change, that means for a unit change in any explanatory variable or a percentage change in any explanatory variable, what is the change in your dependent variable. And for that change concept as I told that you must have a base point.

For the standard regression model, what is that base point that means, you estimate the model then you must calculate yi hat and then, when you say that when income changes from 1 unit, what is the base point from the point where, how will you calculate, that means, when your model is yi equals alpha plus beta xi that means, when income changes by 1 unit your consumption changes by this much unit. And what is the reference point for consumption? That is actually yi hat. (Refer Slide Time: 07:08)



Similarly in this context, when you are saying that Pi equals to let us say for Logit model Pi equals to 1 by 1 plus e to the power minus zi, this is your Logit model where zi is basically your alpha plus beta xi. So, once you estimate the model then immediately you must calculate the Pi hat. So, the change in probability is from this particular base point which is Pi hat that you have to remember and Stata is using this Pi hat as 0.5733.

And also, you have to also remember that all this change, all this interpretation for the coefficient is for an average individual that means, the mfx command the marginal effect please keep in mind that this is always an average individual. Why this is so? Because your marginal effects shows dy/dxi equals to beta hat, I will say beta hat for beta hat into Pi into 1 minus Pi. And once you estimate then all these are hat.

Now, why am saying that marginal effect concept is only for the average individual because how will you calculate Pi hat? To get Pi hat, you must specify some xi because from this model you will get alpha hat and beta hat. Once you know your alpha hat and beta hat you must plug in some value for x to get your Pi hat. And what value of x you will put, the average value of x, that means, this estimated probability Pi hat is calculated as at sample mean.

That means, when you have these variables-education, experience, kids and husband's wage, this marginal concept is actually applicable to that particular married woman whose education level is at sample average, whose experience is at sample average, whose number of kids are at sample

average and whose husband's wage is at sample average. That is why that particular married woman is called an average individual or a representative individual.

That means this individual is actually an imaginary concept because in your data set, no one is having that level of education. Every individual is having her own level of education, own level of experience, kids and husband's wage. But interestingly, my marginal effect concept is related to only that average individual that may or may not exist, I do not know.

It may so happen that by chance there is an individual whose number of kids as at sample average, education and all other factors is at sample average, which is quite unlikely, you may or may not get. But the interpretation is always only for average. That is applicable for the standard econometric model as well as in this case of qualitative response model.

So, that means, since Pi depends on your xi and xi is basically all these independent variables, even though you are interested to calculate the marginal effect for let us say ith, x1i, let us say this is x1i, it all depends on all other explanatory variables, which is not the case in linear probability model. Because in linear probability model your Pi equals alpha plus beta xi, so if you differentiate in linear probability model in LPM, in LPM what was happening your Pi is basically alpha plus beta xi. So that means, if you take these it would be only beta.

So, what is beta? Beta is attached to only xi. But here, it is Pi and Pi is based on all other explanatory variables that is why while linear probability model marginal effect is calculated based on only that particular variable for which you are interested to calculate marginal effect in the context of Logit model it all depends on other factors as well, because Pi hat you have to calculate based on your beta1 hat x1i plus beta 2 hat x2i like that, that is one thing you have to, all other explanatory variables and their estimated coefficient.

Now suppose, I do not want that type of marginal effect, that means I do not want the marginal effect for the average or representative individual who is a imaginary person. Rather, I want to calculate the marginal effect for each and every individual. And then, I can take the average of that marginal effects. Please try to understand, what I am saying. In this context, when I am getting mfx command to get the marginal effect. These marginal effects data is for the average individual. That means the representative married woman whose education, experience, number of kids and husband wage all are fixed at the sample average.

(Refer Slide Time: 15:02)

nenginal effect for actual individuals - average marginal effect (margett) marginal effect for average individual (mfn)

Instead of doing that, I want to get another marginal effect concept. So this is marginal effect concept for actual individual that means marginal effect. So, that means, if you have n number of individuals, you will calculate marginal effect for each and every individual. And then Stata can run another routine for which you can get the marginal effect for each and every individual calculated and then, get the average of that.

So, when education changes for one unit, what is the change in probability for the first individual? For the second individual? For the third individual? Dot, dot, dot, up to n number of individuals. And then, I can calculate the average of all those marginal effects that is also another marginal effect based on. So, this is called average marginal effect.

So, that means, there are two marginal effects- marginal effect for the average individual and this is called average marginal effect. So, average marginal effect and earlier what we have calculated that was marginal effect for average individual. So, this we have already calculated by mfx command. But this, average marginal effect calculation requires a separate command which is called margeff.

(Refer Slide Time: 17:49)

2 - Statu/SE 16.0 - El/Pref. Sabuj U Woolridg	iser Window Help	- 8 ×
🖤 <mark>• 8 • 8 • • u</mark> - 6 • 6 6 6		
	▼ # × Iteration 3: log likelihood = -467.18392	^ Variables ▼ # ×
K Filter commands here	Logistic regression Number of obs = 753	K Filter variables here
# Command	./C LR chi2(3) = 95.38	Name Label ^
1 use "E\/Prof. Sabuj\J Woolridge\MR	Prob > chi2 = 0.0000 Log likelihood = -467.18392 Pseudo R2 = 0.0926	inIf =1 if in lab frce, 1975
2 ssc install margeff	Log 11xe11n00d = -407.18392 F36000 K2 = 0.0920	hours hours worked, 1975
3 logit inlf educ kidslt6 husage		kidslt6 # kids < 6 years
4 mfx	inlf Coef. Std. Err. z P> z [95% Conf. Interval]	kidsge6 # kids 6-18
	educ .199203 .0369704 5.39 0.000 .1267423 .2716638	age woman's age in yrs
	kidslt6 -1.424212 .1922137 -7.41 0.000 -1.800944 -1.04748	ecluc years of schooling wage est, wage from earn, hr:
	husage0541611 .0113268 -4.78 0.00007636120319611 _cons .6304281 .7098112 0.09 0.3747607762 2.021632	repwage rep. wage at interview in
	_CONS .6304281 .7098112 0.89 0.3747607762 2.021632	hushrs hours worked by husba
		husage husband's age
	- nfx	hunordae hundrand's source of other
	Marginal effects after logit	Properties # ×
	<pre>y = Pr(inlf) (predict)</pre>	Properties + A
	= .57337947	A Variables
	variable dy/dx Std. Err. z P> z [95% C.I.] X	Variables
		Label husband's age
	educ .0487281 .00903 5.39 0.000 .031024 .066432 12.2869 kidslt63483842 .0472 -7.38 0.000448898255871 .237716	Type byte Format \$90g
	kicsito3483842 .0472 -7.38 0.000440898255871 .237716 husage0132486 .00277 -4.79 0.000018671007826 45.1208	Format SS/0g Value label
		Notes
		Data forme default
	*	Frame default Filename MR0Z.DTA
100 - 10		Label
S	Command	Notes
	logit inlf educ kidslt6 husage	Variables 22 Observations 753
		Gun. 35.77W
2 - Sarta/SE 160 - El/Port, Sabaj V Wookidg		- 8 X
Nie Edit Data Graphics Statistics U	207 Window Hep 1 0 • 0	
He Ede Data Graphics Satisfies U ■	2er Wider Hep 10:0	^ Variables ▼ ₹ ×
File Edit Data Graphics Statistics U Image: Statistic Statistics Image: Statistics	ore Bindue Nep 0 - 0 1 × wriable φ/dx Std. trr. z Pr[z] [953 C.T.] X	↑ Vasiables ▼ # ×
PTEL Hote Commands the Kommand the Commands the Command the Command the Commands the Command the Command the Command the Command the Command the Command the Command the Command the Command the Command the Command the C	or Redue Hep 0 - 0 T a x	Variables 7 8 x
Tre tat Dea Graphes Suttice U The tat Dea Graphes Suttice U	200 Rindue Nep 0 - 0 1 × xersiable dy/dx Std. trr. z. P. z [953.C.T.] X (κ) kin_1(4) - (x, 104542, -042) - (x, 104542, -122, 2849) kin_1(5) - (x, 104542, -042) - (x, 10459) - (x, 10571, -127716) (x, 104542, -042) - (x, 104542, -042) - (x, 104542, -122, 2849) kin_1(5) - (x, 104542, -042) - (x, 10454, -042) -	Natibles Yalkiks Yalkik Narratatio here Narratatio here Narratation int 11 fin lab free, 1975
For Est Das Gaptics Statistic No est Das Gaptics Statistic No est Das Gaptics Statistic No est Das Gaptics No est Da	or Redue Hep 0 - 0 T a x	Vaniables Value Vaniables Variable V
The fast Data Graphics Statistics Composition Image: The fast Data Graphics Statistics Statistics Image: The commands have Image: Commands have Image: Commands have Image: Commands have Image: Commands have Image: Commands have Image: Commands have Image: Commands have Image: Commands have Image: Commands have Image: Commands have Image: Commands have Image: Commands have Image: Commands have Image: Commands have Image: Commands have Image: Commands have Image: Commands have Image: Commands have Image: Commands have Image: Commands have Image: Commands have Image: Commands have Image: Commands have	Norther Nep 0 • 0 • 3 • 0 • 1 • 0 • 3 • 0 • 4 • 0 • 6 • 0 • 1 • 0 • 2 • 0 • 2 • 0 • 3 • 0 • 0 • 0 • 1 • 0 • 0 • 0 • 1 • 0 • 0 • 0 • 0 • 0 • 0 • 0 • 0 • 0 • 0 • 0 • 0 • 0 • 0 • 0 • 0 • 0 • 0 • 0 • 0 • 0 • 0 • 0 • 0 • 0 • 0 • 0 • 0 • 0 • 0 • 0 • 0 • 0 • 0 • • 0 • •	Yeaddas Year and a few Year and a few Year and a few inf inf 1 = 11 fm ink here, 1975 hours hourse notworks(1975 hourse hourse hourse notworks(1975 hourse hourse hours
The fast basis Guyles Station U HTTEL How Station Country Station U How Stati	200 Rindue Nep 0 - 0 1 × xersiable dy/dx Std. trr. z. P. z [953.C.T.] X (κ) kin_1(4) - (x, 104542, -042) - (x, 104542, -122, 2849) kin_1(5) - (x, 104542, -042) - (x, 10459) - (x, 10571, -127716) (x, 104542, -042) - (x, 104542, -042) - (x, 104542, -122, 2849) kin_1(5) - (x, 104542, -042) - (x, 10454, -042) -	
Fire Late Data Graphics Statistics Fire Late Data Graphics Statistics Fire Command Late Command user School Shady UNcolidge/MRL, 2 soc instal manageff Jogit Eff effocied sheage	me Rindow Hep 0 • 0 • 1 • x wscłażka 1 • x • 1 • x • 1 • x • 1 • x • 1 • x • 1 • x • 1 • x • 1 • x • 1 • x • 1 • x • 1 • x • 1 • x • 1 • x • 1 • x • 1 • x • 1 • x • 1 • x • 1 • x • 1 • x • • x • • x • • x • • • • • • • • • • • • • • • • • • •	the back of the second s
The fast bas Guptes Sense 0 B = B = B + L + B + B + B + B + B + B + B + B +	Pindur Hep O = 0 O	
The fast bias Oxyles States 0 B <th< td=""><td>me Rindow Hep 0 • 0 • 1 • x wscłażka 1 • x • 1 • x • 1 • x • 1 • x • 1 • x • 1 • x • 1 • x • 1 • x • 1 • x • 1 • x • 1 • x • 1 • x • 1 • x • 1 • x • 1 • x • 1 • x • 1 • x • 1 • x • 1 • x • • x • • x • • x • • • • • • • • • • • • • • • • • • •</td><td>turdes T a x Torontos tro T a x T</td></th<>	me Rindow Hep 0 • 0 • 1 • x wscłażka 1 • x • 1 • x • 1 • x • 1 • x • 1 • x • 1 • x • 1 • x • 1 • x • 1 • x • 1 • x • 1 • x • 1 • x • 1 • x • 1 • x • 1 • x • 1 • x • 1 • x • 1 • x • 1 • x • • x • • x • • x • • • • • • • • • • • • • • • • • • •	turdes T a x Torontos tro T a x T
The fast bias Oxyles States 0 B <th< td=""><td><pre>mr Hindum Hing 0 - 0</pre></td><td>torotales Torotation free Internation Inte</td></th<>	<pre>mr Hindum Hing 0 - 0</pre>	torotales Torotation free Internation Inte
The fast bias Oxyles States 0 B <th< td=""><td> Tendow Hep Tendow Hep</td><td>Vardeles Vardeles Vardeles</td></th<>	 Tendow Hep Tendow Hep	Vardeles
The fast bias Oxyles States 0 B <th< td=""><td><pre>more New</pre></td><td>torotales Torotation free Internation Inte</td></th<>	<pre>more New</pre>	torotales Torotation free Internation Inte
The fast bias Oxyles States 0 B <th< td=""><td><pre>more New New</pre></td><td>Vardeles Vardeles Vardeles</td></th<>	<pre>more New New</pre>	Vardeles
The fast bias Oxyles States 0 B <th< td=""><td><pre>more New</pre></td><td>Vardeles Vardeles Vardeles</td></th<>	<pre>more New</pre>	Vardeles
fer fatt bes Osynta Sonia U for fatt bes Osynta Sonia U for fatt bes Osynta Sonia U for constant ter formand for constant ter formand for constant ter formand for terminative formand formad	<pre>more New</pre>	twodes Torontoin two Torontoin two
The fast bias Oxyles States 0 B <th< td=""><td><pre>min Texture Hep 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0</pre></td><td>Vardele 7 9 × Vardele 1 1 4 1</td></th<>	<pre>min Texture Hep 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0</pre>	Vardele 7 9 × Vardele 1 1 4 1
The fast bias Oxyles States 0 B <th< td=""><td>Texture Hep O 0 O</td><td>A Standard Y & X & X A Standard Standa</td></th<>	Texture Hep O 0 O	A Standard Y & X & X A Standard Standa
The fast basis Guyles Station U HTTEL How Station Country Station U How Stati	Image: State of the state	A Standles Y S X A Standles New A Sta
The fast basis Guyles Station U HTTEL How Station Country Station U How Stati	Implicit ingression 0 <	Variable ₹ ¥ ¥ × Interaction from Interaction from
The fast bias Oxyles States 0 B <th< td=""><td>Image: State of the state</td><td>A Standles Y S X A Standles New A Sta</td></th<>	Image: State of the state	A Standles Y S X A Standles New A Sta
The fast basis Guyles Station U HTTEL How Station Country Station U How Stati	Image: State of the state	Vandels 7.9 × Improvedent terre Internet Label Internet Label 1.8 m tab inc. 10/3 Internet Terres 1.8 m tab inc. 10/3 Internet Terres 1.8 m tab inc. 10/4
The fast basis Guyles Station U HTTEL How Station Country Station U How Stati	Image: State of the state	A tracks A tracks to A tracks A tracks to A tracks A
The fast bas Guptes Sense 0 B = B = B + L + B + B + B + B + B + B + B + B +	Image: State of the state	Variable 7.9 × Normation term Normation term
The fast bas Guptes Service 1 THTEL B = B = B = B = B = B = B = B = B = B =	Image: State of the state	* Variable Inter Non-statute InterNet Non-statute Inter Non-statute Inter
The fast bas Guptes Service 1 THTEL B = B = B = B = B = B = B = B = B = B =	<pre>c texture rep c - c v v v v v v v v v v v v v v v v v v v</pre>	Image: Second
The fait that Gapter Service T The fait that Gapter Service T The fait that Gapter Service T The fait that The Service Service T The Service Serv	<pre>c texture rep c - c v v v v v v v v v v v v v v v v v v v</pre>	* Variable Inter Non-statute InterNet Non-statute Inter Non-statute Inter
The fair bas Gaptes Sension U The fair connects for the Gaptes Sension U The	<pre>c texture rep c - c v v v v v v v v v v v v v v v v v v v</pre>	Image: Second
Te fat bus Guytes Suries D Te fat bus Guytes Suries Te fat bus Guytes Suries Te fat bus Guytes Suries Te fat connuct fue Connuct Second manyef Second manyef Second manyef Second fat dock tables house 4 mix	<pre>c texture rep c - c v v v v v v v v v v v v v v v v v v v</pre>	Image: Second Secon

itory 🕇 🖡	X Iteration 3: log likelihood = -467.18392	 Variables 	т 3
Filter commands here	Logistic regression Number of obs = 753	Filter variables here	
nand _rc	LR chi2(3) = 95.38	Name	Label
f. Sabuj),/ Weolridge\/MR naroeff	Prob > chi2 = 0.0000 Log likelihood = -467.18392 Pseudo R2 = 0.0926	inlf	=1 if in lab frce, 1975
67 b		hours kidstt6	hours worked, 1975 # kick < 6 years
idslt6 husage	inif Coef. Std. Err. z P> z [95% Conf. Interval]	kidsitte kidsge6	# kids < 6 years # kids 6-18
Ité husage	inlf Coef. Std. Err. z P> z [95% Conf. Interval]	ace	woman's age in yrs
	educ .199283 .0369704 5.39 0.000 .1267423 .2716638	educ	years of schooling
	kidslt6 -1.424212 .1922137 -7.41 0.000 -1.800944 -1.04748 husage0541611 .0113268 -4.78 0.00007636120319611	wage	est, wage from earn, hr:
	_cons .6304281 .7098112 0.89 0.3747607762 2.021632	repwage	rep. wage at interview in
		hushes	hours worked by husba husband's age
	. margeff	husage histochie	husband's age
	Average partial effects after logit		
	y = Pr(inf)	Properties	\$>
		<u> </u>	
	variable Coef. Std. Err. z P> z [95% Conf. Interval]	 Variables Name 	harage
	educ0429015 .0073571 5.83 0.000 .0284817 .0573212	Label	husband's age
	educ .0429015 .0073571 5.83 0.000 .0284817 .0573212 kids1t62762114 .0257501 -10.73 0.00032668062257422	Type Format	byte 3,90a
	husage0116885 .0023073 -5.07 0.00001621060071663	Value label	
	· · · · · · · · · · · · · · · · · · ·	Notes 4 Data	
		Frame	default
		Filename Label	MROZDIA
	Command	Notes	
	I	Variables Observations	22 753
		Observations	153 36.779
2-Sauge Hd-EPert Salay Washington			- 8 X
ata Graphics Statistics User ● • Lil • 📓 • 🖺 🗒 🔘	Window Hep • 0		
Graphics Statistics User	Notre Hep	A Variables	T#>
Graphics Statistics User Li - 11 - 12 - 12 - 12 - 10 - 0 T - 1 ere	Notre Hep	Filter variables her	τ#>
Graphics Statistics User Li - III - III - III - III - III T 3 cre 	Nindow Nip • 0 x - 1 • 1 • 1 • 1 • 1 • 1 • 1 • 1 •	Filter variables her Name	T 8 >
ics Statistics User	Nindow Nep 0 x mfx Perjial effects after logit y = Pr(inif) (predict)	Fitter variables here Name inff	T # > Label =1 if in lab frce, 1975
Nis Satisfics User	Nintur Nup 0 . efx Registal effects efter logit	Filter variables her Name	T # > Label 7 =1 if in lab frce, 1975 hours worked, 1975
ics Satisfics User	Nindow Nep 0 x mfx Perjial effects after logit y = Pr(inif) (predict)	Fitter variables here Name Inif hours	T & > Label =1 if in lab free, 1975 hours worked, 1975 # kicks < 6 years # kicks 6-18
s Satisfics Uber Satisfics Uber	Menter Heg 0 afx Pargisy = Pr(iAI) (predict) = -9720794 variable dy/dx Std. Err. z Py z [95% C.I.] X	 Filter variables here Name inif hours kidsht6 kidsp66 age 	Label =1 fi in lab fize, 1975 hours worked, 1975 # kids < 6 years # kids <-18 woman's age in yts
s Satisfies Uber	Weak Non • effx *** *effx *** *effx *** *effx *** *effx *** *effx *** *effx *** *** *** *** *** *** *** *** *** *** *** *** *** *** *** *** *** *** *** *** **** *** **** *** **** *** **** *** ***** **** ************************************	Fiber variables here Name Name inif hours kidsh6 kidsge6 age ecluc	Label =1 if in kib free; 1975 hours worked; 1975 # kids < 6 years # kids <= 1 kids <= 1 # kids == 1 years of schooling
Nes Statistics User	Mindur Nep 0 0 10 10 10 10 10 10 10 10	Peter variates tem Name inff hours kidet6 kidege6 age ecluc wage	Label =1 if in lab free, 1975 hours worked, 1975 # kids < 6 years # kids 6-18 worman kape in yrs years of schooling ext suage from exam, hre
Nes Statistics User	Minisur Hep 0 1 1 1 1 1 1 1 1 1 1 1 1 1	Fiber variables here Name Name inif hours kidsh6 kidsge6 age ecluc	Label =1 if in kib free; 1975 hours worked; 1975 # kids < 6 years # kids <= 1 kids <= 1 # kids == 1 years of schooling
Nes Statistics User	Weak Mag • • <td>Per ruster ten Name Name Inf Nours Kolats Kolats</td> <td>Label =1 if in lab free, 1975 # lads < 4 years # lads < 6 years # lads < 6 years # lads < 10 woman's age in yrs years of schooling est, wage from cam, hen eye, wage liftom cam, hen eye, wage liftom cam, hen</td>	Per ruster ten Name Name Inf Nours Kolats	Label =1 if in lab free, 1975 # lads < 4 years # lads < 6 years # lads < 6 years # lads < 10 woman's age in yrs years of schooling est, wage from cam, hen eye, wage liftom cam, hen eye, wage liftom cam, hen
nics Satistics User	Window Height 0 - 0 0 0 <td< td=""><td>Per ruster ten Name Name Inf Nours Kolats Kolats</td><td>Label = 1 in his free, 1975 hours worked, 1975 # kick < 6 years # kick < 6 years # kick < 6 years gear sof schooling est: wage from earn, he rep: wage at internet, he rep: wa</td></td<>	Per ruster ten Name Name Inf Nours Kolats	Label = 1 in his free, 1975 hours worked, 1975 # kick < 6 years # kick < 6 years # kick < 6 years gear sof schooling est: wage from earn, he rep: wage at internet, he rep: wa
is Satisfic User	<pre>Wenture Height 0 * * ******************************</pre>	Pere-routide here Name	Label =1 if in lab free, 1975 hours worked, 1975 # kids < 6 yas # kids < 6 yas # kids < 6 tol wornan's age in yrs years of schooling exit suage from earm, her rep, usage i interview ir hours worked by hube hours worked by kube
naphics Satisfics User I · · · · · · · · · · · · · · · · · · ·	<pre>Window Nep 0 ##X ### ###isial effects after logit y = Pr(isi) (predict) ###isial effects after logit y = Pr(isi) (predict) ###isial dy/dx Std. Err. z Pr z [55% C.I.] X ###isial dy/dx Err. z Pr z [55% C.I.] X ###isial dy/dx Err. z Pr z [55% C.I.] X ###isial dy/dx Err. z Pr z [55% C.I.] X ###isial dy/dx Err. z Pr z [55% C.I.] X ###isial dy/dx Err. z Pr z [55% C.I.] X ###isial dy/dx Err. z Pr z [55% C.I.] X ###isial dy/dx Err. z Pr z [55% C.I.] X ###isial dy/dx Err. z Pr z [55% C.I.] X ###isial dy/dx Err. z Pr z [55% C.I.] X ###isial dy/dx Err. z Pr z [55% C.I.] X ###isial dy/dx Err. z Pr z [55% C.I.] X ###isial dy/dx Err. z Pr z [55% C.I.] X ###isial dy/dx Err. z Pr z [55% C.I.] X ###isial dy/dx Err. z Pr z [55% C.I.] X ###isial dy/dx Err. z Pr z [55% C.I.] X ###isial dy/dx Err. z Pr z [55% C.I.] X ###isial dy/dx Err. z Pr z [55% C.I.] X ###isial dy/dx Err. z Pr z [55% C.I.] X ###isial dy/dx Err. z Pr z [55% C.I.</pre>	Per ruster ten Name Name Inf Nours Kolats	Label =1 if in lab free, 1975 hours worked, 1975 # kids < 6 yas # kids < 6 yas # kids < 6 la worman's age in yas yaser of schooling extra sign frame or any. Iner rep, using e interview in hours worked by hubes hubband's age hubband's age
aphis Satisis Use • • • • • • • • • • • • • • • • • • •	<pre>Window Hep 0 0 0 0 0 0 0 0 0 0 0 0 0</pre>	✓ For castate ten infl hours kööts kööts kööts kööts wage nepuge hunkn köns hunkn Kopertis	Label =1 if in lab free, 1975 hours worked, 1975 # kids < 6 yas # kids < 6 yas # kids < 6 la worman's age in yas yaser of schooling extra sign frame or any. Iner rep, using e interview in hours worked by hubes hubband's age hubband's age
aphics Sattistics User • III • III III III III III • III • III III III III • III • III III III III • III • III III III • IIII • III • IIII • III • III • III • III • III • III • II	Weature Hear • #fx Pergisal effects after logit • logit lif effects #fx • #fx Pergisal effects after logit • logit lif effects #fx * #fx #fx • logit lif effects #fx * #fx #fx * #fx #fx * #fx #fx • #fx #fx * #fx #fx • #fx #fx <td>✓ For castate ten None el hours kidos kidos kidos app educ mage mproge hours hours kido kidos kidos kidos kidos kido kido kido k</td> <td>Ladi 1 fin la har, 1971 hana noded, 1973 1 kis 4 yan 1 kis 4 yan</td>	✓ For castate ten None el hours kidos kidos kidos app educ mage mproge hours hours kido kidos kidos kidos kidos kido kido kido k	Ladi 1 fin la har, 1971 hana noded, 1973 1 kis 4 yan 1 kis 4 yan
aphis Satisis Use • • • • • • • • • • • • • • • • • • •	<pre>Minutur Hege 0 1 1 1 1 1 1 1 1 1 1 1 1</pre>	None None Bit Boas Kdabit	Label at fill halo be, 197 Hours worker, 1975 Hilds - 6 yans Hilds - 194 Hilds - 194 Hilds - 194 Hours of schooling Jackson ann Ale yang at Einhower Halanahri age Jackson far yang Halanahri age Jackson far yang Halanahri age Jackson far yang Halanahri age Jackson far yang Halanahri age Halanahri age Jackson far yang Halanahri age Halanahri ag
Gaphics Suttistics User J • E • E E III 0 T 3 ere4 JugU Weohidge/MR eff ädst6 husage	<pre>Window Hep 0 1 1 1 1 1 1 1 1 1 1 1 1</pre>	✓ For under len None el loss köds köds köds köds köds köds köds kö	Lade Lade The labbre, 195 # lade 4 195 ext ways for earth law parent of booling bandwing and handwing andwing and handwing and handwing and handwing and handwi
iaphos Satisfics User I - II - III - III - III - III - III - III - III T 3 re III - III - III - III - III T 4 re III - III - III - III T 4 re III - III - III - III - III re III - III - III - III - III re III - III - III - III - III re III - III - III - III - III - III re III - III - III - III - III - III re III - III - III - III - III - III re III - III - III - III - III - III re III - III - III - III - III - III re III - III - III - III - III - III re III - III - III - III - III - III re III - III - III - III - III - III - III re III - III re III - IIII - III - IIII - III - III - IIII - IIII - IIII - III - III - III - III - III - II	<pre>Minutur Hege 0 1 1 1 1 1 1 1 1 1 1 1 1</pre>	Vern und in ten Norme	Label at fill halo be, 197 Hours worker, 1975 Hilds - 6 yans Hilds - 194 Hilds - 194 Hilds - 194 Hours of schooling Jackson ann Ale yang at Einhower Halanahri age Jackson far yang Halanahri age Jackson far yang Halanahri age Jackson far yang Halanahri age Jackson far yang Halanahri age Halanahri age Jackson far yang Halanahri age Halanahri ag
Gaptics Satistics laber + Li - E - E - E - T - T - T - T - T - T - T	<pre>Minutur Hege 0 1 1 1 1 1 1 1 1 1 1 1 1</pre>	✓ Eneration being in the second s	Lahel Lahel Thi bibe, 1975 Hours worker, 1975 # Kilk < 4 yan of kolondry husb moran's dige hysis exist way way of kithweiter hours worker diry husb Machandri yan Inshuedri yang husb Machandri yan Machandri yan Machandri yan Machandri yan Machandri yan
na Graphics Statistics User • • Lil • E • E E E 0 • 7 3 nds here	<pre>Ments Map 0</pre>	✓ For under left None III None III None III None III None IIII None IIIII IIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIII	Label at fill halo be, 197 Hours worker, 1975 Hilds - 6 yans Hilds - 194 Hilds - 194 Hilds - 194 Hours of schooling Jackson ann Ale yang at Einhower Halanahri age Jackson far yang Halanahri age Jackson far yang Halanahri age Jackson far yang Halanahri age Jackson far yang Halanahri age Halanahri age Jackson far yang Halanahri age Halanahri ag
Gaptics Satistics laber + Li - E - E - E - T - T - T - T - T - T - T	whote Map .0	✓ For cutate len None all kosts kidd kidd	Label at file fields (19)7 bara scoled (19)5 #lable 9-10 wards (19)5 #lable 9-10 wards (19)5 #lable 9-10 wards (19)5 barbond (19) barbond barbond (19) barbond barbond (19) barbond barbond (19) barbond (19) barbon
aphics Sattistics User • III • III III III III III • III • III III III III • III • III III III III • III • III III III • IIII • III • IIII • III • III • III • III • III • III • II	whote Map .0	✓ Pronunction Line Nome Nome <td>Lade Life bib. (1) Sec. (1) Se</td>	Lade Life bib. (1) Sec. (1) Se
nics Satistics User	whote Map .0	✓ For cutate len None all kosts kidd kidd	Label at file fields (19)7 bara scoled (19)5 #lable 9-10 wards (19)5 #lable 9-10 wards (19)5 #lable 9-10 wards (19)5 barbond (19) barbond barbond (19) barbond barbond (19) barbond barbond (19) barbond (19) barbon

So after estimating the model, I will once again estimate the model, so that means, this is the model Logit and then I will put margeff. This is called average marginal effect. This is slightly lower, see the marginal effect earlier model, this is 0.0429 and earlier it was 0.0487. So, little lower. So, average marginal effect is little lower than the marginal effect for the average individual. But you should know both these two types of marginal effect and you should also know what in which way these two marginal effects are actually different.

So, whenever you are estimating your model, this type of qualitative response model please remember to report the marginal effects and both types of marginal effects and you should also interpret. In standard model, since the beta hat coefficients are direct measure of marginal effect.

We do not need to mention anything else. But in Logit model, in qualitative response model, since beta coefficients are not a direct measure of marginal effect, we need to specifically mention or report the marginal effect otherwise your research would be incomplete.


Many times after estimating this we forget to report the marginal effects. But then your research would be incomplete because at the end of the day, what we are interested in specifically for the marginal effect, for the unit change in any of this explanatory variable, on an average what is the change in the probability of labor force participation that is what we want and that is why you need to specifically report these type of marginal effects.

Now, once you are done with the marginal effects, then the other important things about the marginal concept. See here, when I am calculating marginal effect, then what you need to do, you need to specify the x values at the sample average because you need to calculate Pi hat. So, that means, I am saying when number of kids changes by one unit, that means from that sample average to one unit change, probability of change for that woman who is having that many number of kids.

But suppose my interest is a little different, I want to calculate the change in probability of labor force participation for the married woman who does not have any kids and then I want to see from 0 to 1 kid, what is the change in probability of labor force participation. So that means, that also you can calculate.

(Refer Slide Time: 21:15)

Filter commands here	educ .0487281 .00963 5.39 0.000 .831824 .066432 12.2869 0 kids1t6 3483842 .0472 -7.38 0.000 448898 255871 .237716	Variables Fitter variables	
	husage0132486 .00277 -4.79 0.000018671007826 45.1208		
# Command	JC	Name	Label
 use "E\Prof. Sabuj\J Woolridge\MR 	, logit inlf educ kidslt6 husage	inff	=1 if in lab frce, 1
2 ssc install margeff	· sogat shar cost nadato nobege	hours	hours worked, 19
3 logit inlf educ kidslt6 husage	Iteration 0: log likelihood = -514.8732	kidslt6	# kicls < 6 years
4 mfx	Iteration 1: log likelihood = -467.24448	kidsge6	# kids 6-18
5 logit inlf educ kidslt6 husage	Iteration 2: log likelihood = -467.18392 Iteration 3: log likelihood = -467.18392	936	woman's age in y
6 margeff	Iteration 5: 10g IIKelinood = -467.18352	ecluc	years of schooling
	Logistic regression Number of obs = 753	wage	est wage from ea
	LR chi2(3) = 95.38	repwage	rep. wage at inter
	Prob > chi2 = 0.0000	hushes	hours worked by
	Log likelihood = -467.18392 Pseudo R2 = 0.0926	husage	husband's age
		husedar 4	hisband's wars
	inlf Coef. Std. Err. z P> z [95% Conf. Interval]	Properties	
	educ .199203 .0369704 5.39 0.000 .1267423 .2716638		
	kidslt6 -1.424212 .1922137 -7.41 0.000 -1.800944 -1.04748	4 Variables	
	husage0541611 .0113268 -4.78 0.00007636120319611	Name	husage
	_cons .6304281 .7098112 0.89 0.3747607762 2.021632	Label	husband's age
		Type Format	byte 5.90g
	. margeff	Value label	1309
		Notes	
	Average partial effects after logit	4 Data	
	<pre>y = Pr(inlf)</pre>	✓ Frame ★ Filename	default MROZ DTA
	6	 Fierame Label 	MNDZDIA
	Command	1 Notes	
a set			
3 9	logit inlf educ kidslt6 husage	Variables	22



Suppose you estimate this Logit model and then, mfx compute, we have to put a comma and then at kidslt6 equals to 0. Now look at what is happening. So here, Stata has calculated the marginal change assuming kids equals to 0. So when the kids when the married woman does not have any kids at that situation, when education changes by one unit what is the change in probability?

When husband's wage changes by one unit what is the change in probability? And when kids changes by one unit, this is very important, now see, from 0 key to one kid, what is the change in probability? 0.32. what is the earlier one if you compare, look at this in the earlier model, 0.3483 and here it is 0.32 it is a little different. So, from this model, once again, you just see, this is your original model. This is the margeff command and this is key. So, slight change in probability when you specify x equals to 0. When x equals to 0, this is 0.3483.

I forgot to mention the experience let me put experience also. Logit in labor force, and then I will put experience also. This is the model and then you calculate mfx. Then this is 0.33. And now, if you put mfx compute at in the bracket kidslt6 equals to 0 you have to end the bracket and then enter. So, that means when you have 0 kid, then as you get the first kid, your probability of labor force participation decreases by 0.30. But when you have the average number of kids 0.23, it is 0.33.

So, that means lower reduction in the probability when you get the first kid and then it keeps on increasing. So, it is quite difficult to manage more kids than when you have the first one. So, that means you can specify a specific level of value for the x and calculate the marginal effect by this

command mfx compute at kids equals to 0. And similarly, you can also put education level equals to 0 or a specific value of education husband's wage so on and so forth, based on your research interest.

All right, these are all based on your marginal effect, but when you estimate any econometric model like previous cases, you need to know how good is your model in terms of goodness of it that means R square.